## Continuous-cast product list

Common continuous-cast products, product forms, and size ranges

Copper alloy UNS no.	Product description	Sol	Solid bar stock		Tubes		Rectangles	
		Avail.	Size range	Avail.	Size range	Avail.	Size range	
C83600	Leaded red brass	Χ	1/2" to 13" O.D.	Х	1" to 16" O.D.	Х	Up to 20"	
C83800	Leaded red brass	Χ	1/2" to 13" O.D.	Χ	1" to 16" O.D.	Χ	Up to 20"	
C84200	Leaded semi-red brass	Х	1/2" to 13" O.D.	X	1" to 16" O.D.	X	Up to 20"	
C84400	Leaded semi-red brass	Χ	1/2" to 13" O.D.	Χ	1" to 16" O.D.	Χ	Up to 20"	
C84800	Leaded semi-red brass	X	1/2" to 13" O.D.	X	1" to 16" O.D.	X	Up to 20"	
C85700	Leaded yellow brass	Χ	1/2" to 13" O.D.	Χ	1-1/8" to 9" O.D.	Χ	Up to 15"	
C86200	Manganese bronze	Х	1/2" to 9" O.D.	X	1-1/8" to 9" O.D.	X	Up to 15"	
C86300*	Manganese bronze	Χ	1/2" to 9" O.D.	Χ	1-1/8" to 9" O.D.	Χ	Up to 15"	
C86400	Manganese bronze	Χ	1/2" to 9" O.D.	Χ	1-1/8" to 9" O.D.	Χ	Up to 15"	
C86500	Manganese bronze	Χ	1/2" to 9" O.D.	Χ	1-1/8" to 9" O.D.	Χ	Up to 15"	
C86700	Manganese bronze	Χ	1/2" to 9" O.D.	Χ	1-1/8" to 9" O.D.	Χ	Up to 15"	
C87850	Silicon brass	Χ	Consult mill	Χ	Consult mill	Χ	Consult mill	
C89320	Bismuth tin bronze	Χ	1/2" to 10" O.D.	Χ	1-1/8" to 9" O.D.	Χ	Up to 15"	
C89325	Bismuth tin bronze	Χ	1/2" to 10" O.D.	Χ	1-1/8" to 9" O.D.	Χ	Up to 15"	
C89520	Bismuth tin bronze	Χ	1/2" to 10" O.D.	Χ	1-1/8" to 9" O.D.	Χ	Up to 15"	
C89831	Bismuth tin bronze	Χ	1/2" to 10" O.D.	Χ	1-1/8" to 9" O.D.	Χ	Up to 15"	
C89833	Bismuth tin bronze	Χ	1/2" to 10" O.D.	Χ	1-1/8" to 9" O.D.	Χ	Up to 15"	
C89835*	Bismuth tin bronze	Χ	1/2" to 10" O.D.	Χ	1-1/8" to 9" O.D.	Χ	Up to 15"	
C89844	Bismuth tin bronze	Χ	1/2" to 10" O.D.	Χ	1-1/8" to 9" O.D.	Χ	Up to 15"	
C90300*	Tin bronze	Χ	1/2" to 10" O.D.	Χ	1" to 16" O.D.	Χ	Up to 20"	
C90500	Tin bronze	Χ	1/2" to 10" O.D.	Χ	1" to 16" O.D.	Χ	Up to 20"	
C90700	Tin bronze	Χ	1/2" to 10" O.D.	Χ	1" to 16" O.D.	Χ	Up to 20"	
C90800	Tin bronze	Χ	1" to 6" O.D.	Χ	1" to 6" O.D.	Χ	Up to 10"	
C90810	High tin bronze	Χ	1" to 6" O.D.	Χ	1" to 6" O.D.	Χ	Up to 10"	
C91000	Tin bronze	Χ	1" to 6" O.D.	Χ	1" to 6" O.D.	Χ	Up to 10"	
C91100	High tin bronze	Χ	1" to 6" O.D.	Χ	1" to 6" O.D.	Χ	Up to 10"	
C91300	Tin bronze	Χ	1" to 6" O.D.	Χ	1" to 6" O.D.	Χ	Up to 10"	
C91600	High tin bronze	Χ	1" to 6" O.D.	Χ	1" to 6" O.D.	Χ	Up to 10"	
C91700	High tin bronze	X	1" to 6" O.D.	X	1" to 6" O.D.	X	Up to 10"	
C92200	Leaded tin bronze	Χ	1/2" to 13" O.D.	Х	1" to 16" O.D.	Χ	Up to 20"	
C92300	Leaded tin bronze	X	1/2" to 13" O.D.	X	1" to 16" O.D.	X	Up to 20"	
C92500	Nickel-phosphor bronze	Χ	1/2" to 13" O.D.	X	1" to 16" O.D.	Χ	Up to 20"	
C92700	Leaded tin bronze	X	1/2" to 13" O.D.	X	1" to 16" O.D.	X	Up to 20"	
C92800	Leaded tin bronze	X	1/2" to 13" O.D.	X	1" to 16" O.D.	X	Up to 20"	
C92900	Leaded nickel-tin bronze	Х	1/2" to 13" O.D.	Х	1" to 16" O.D.	Х	Up to 20"	
C93200*	Leaded tin bronze	Χ	1/2" to 13" O.D.	X	1" to 16" O.D.	X	Up to 20"	
C93400	High-leaded tin bronze	Χ	1/2" to 13" O.D.	Χ	1" to 16" O.D.	Χ	Up to 20"	

<sup>\*</sup>Standard-stocked alloy.

Please consult mill for minimum I.D., minimum thickness, and minimum wall thickness.

## Continuous-cast product list continued

Copper alloy UNS no.	Product description	Solid bar stock		Tubes		Rectangles	
		Avail.	Size range	Avail.	Size range	Avail.	Size range
C93500	High-leaded tin bronze	Х	1/2" to 13" O.D.	Х	1" to 16" O.D.	Х	Up to 20"
C93600	High-leaded tin bronze	Χ	1/2" to 13" O.D.	Χ	1" to 16" O.D.	Χ	Up to 20"
C93700	High-leaded tin bronze	Χ	1/2" to 10" O.D.	X	1" to 16" O.D.	Χ	Up to 20"
C93800	High-leaded tin bronze	Χ	1/2" to 10" O.D.	Χ	1" to 16" O.D.	Χ	Up to 20"
C93900	High-leaded tin bronze	Χ	1/2" to 10" O.D.	X	1" to 16" O.D.	Χ	Up to 20"
C94000	High-leaded tin bronze	Χ	1/2" to 10" O.D.	Χ	1" to 16" O.D.	Χ	Up to 10"
C94100	High-leaded tin bronze	Χ	1/2" to 10" O.D.	X	1" to 16" O.D.	Χ	Up to 10"
C94300	High-leaded tin bronze	Χ	1/2" to 10" O.D.	Χ	1" to 16" O.D.	Χ	Up to 10"
C94700	Nickel-tin bronze	Χ	1/2" to 10" O.D.	Χ	1" to 16" O.D.	Χ	Up to 20"
C94700HT	Nickel-tin bronze	Χ	1/2" to 10" O.D.	Χ	1" to 16" O.D.	Χ	Up to 20"
C94800	Leaded nickel-tin bronze	Χ	1/2" to 10" O.D.	Χ	1" to 16" O.D.	Χ	Up to 20"
C95200	Aluminum bronze	Χ	1/2" to 9" O.D.	Χ	1-1/8" to 9" O.D.	Χ	Up to 15"
C95300	Aluminum bronze	Χ	1/2" to 9" O.D.	Χ	1-1/8" to 9" O.D.	Χ	Up to 15"
C95300HT	Aluminum bronze	Χ	1/2" to 9" O.D.	Χ	1-1/8" to 9" O.D.	Χ	Up to 15"
C95400*	Aluminum bronze	Χ	1/2" to 9" O.D.	Χ	1-1/8" to 9" O.D.	Χ	Up to 15"
C95400HT	Aluminum bronze	Χ	1/2" to 9" O.D.	Χ	1-1/8" to 9" O.D.	Χ	Up to 15"
C95410	Aluminum bronze	Χ	1/2" to 9" O.D.	Χ	1-1/8" to 9" O.D.	Χ	Up to 15"
C95410HT	Aluminum bronze	Χ	1/2" to 9" O.D.	Χ	1-1/8" to 9" O.D.	Χ	Up to 15"
C95500*	Nickel-aluminum bronze	Χ	1/2" to 9" O.D.	Χ	1-1/8" to 9" O.D.	Χ	Up to 15"
C95500HT	Nickel-aluminum bronze	Χ	1/2" to 9" O.D.	X	1-1/8" to 9" O.D.	Χ	Up to 15"
C95510*	Nickel-aluminum bronze	Χ	1/2" to 9" O.D.	Χ	1-1/8" to 13" O.D.	Χ	Up to 15"
C95520HT	Nickel-aluminum bronze	Χ	1/2" to 9" O.D.	X	1-1/8" to 9" O.D.	Χ	Up to 15"
C95600	Nickel-aluminum bronze	Χ	1/2" to 9" O.D.	X	1-1/8" to 9" O.D.	Χ	Up to 15"
C95800	Nickel-aluminum bronze	Χ	1/2" to 9" O.D.	Χ	1-1/8" to 9" O.D.	Χ	Up to 15"
C95900*	Aluminum bronze	Χ	1" to 5" O.D.		Consult mill	Χ	Up to 7"
CONCAST380	Aluminum bronze	Χ	1" to 5" O.D.			Χ	Up to 10"
C96400	Copper-nickel	X	1/2" to 9" O.D.	Χ	1-1/8" to 9" O.D.	Χ	Up to 15"
C96900HT	Copper-nickel	X	1/2" to 9" O.D.	X	1-1/8" to 9" O.D.	Χ	Up to 15"
C97300	Nickel silver bronze	X	3/4" to 9" O.D.	X	1-1/8" to 9" O.D.	X	Up to 14"
C97600	Nickel silver bronze	Χ	3/4" to 9" O.D.	X	1-1/8" to 9" O.D.	Χ	Up to 14"
C97800	Nickel silver bronze	Χ	3/4" to 9" O.D.	X	1-1/8" to 9" O.D.	X	Up to 14"
C99500	Special alloy	Χ	1/2" to 9" O.D.	Χ	1-1/8" to 9" O.D.	Χ	Up to 14"

<sup>\*</sup>Standard-stocked alloy.

Please consult mill for minimum I.D., minimum thickness, and minimum wall thickness.

All alloys also available as near-net shape, solid hex bar, and hex tube except Concast380 which is not available as hex tube.