

CONCAST

METAL PRODUCTS CO.

Proven Integrity. Delivering Value.



Hardial® C72900 and Concast



14315 State Route 113
Wakeman, OH 44889
800.626.7071 phone
724.538.3956 fax
sales@concast.com

www.concast.com

Concast Metal Products Co. is a manufacturer of specialty continuous-cast copper alloys. Concast has achieved a strong and stable market position through a sharp focus on evolving technologies, quality control, and a high level of customer service. Our inventory of over 1,000 standard sizes is the largest inventory of standard-stocked, continuous-cast alloys in North America.

■ Concast Metal Products Co. is certified to ISO 9001 and AS9100

AIRCRAFT AND AEROSPACE

The **AIRCRAFT AND AEROSPACE INDUSTRY** requires an alloy which demonstrates excellent lubricity, wear, and galling resistance such as Hardiall® C72900. Hardiall is ideal for applications where the load required exceeds the performance of copper-nickel-aluminum-based alloys.

Key Features and Benefits:

- ▶ High strength
- ▶ Corrosion resistance
- ▶ Erosion resistance
- ▶ Magnetic resistance
- ▶ Excellent lubricity
- ▶ Excellent wear resistance
- ▶ Excellent machinability
- ▶ Easy implementation
- ▶ Galling resistance



At **Concast Metal Products Co.**, our unparalleled experience, service, and quality are at the foundation of our success in meeting the demand for spinodal hardened Hardiall® C72900 with application in both the aircraft and aerospace, and oil and gas industries. **Concast** is the exclusive North American supplier of Hardiall C72900 produced by Lebronze alloys. This **standard-stocked alloy** is available from **Concast** to AMS 4596, 4597, and 4598 specifications.

NOTE: Hardiall is a registered trademark of Lebronze Alloys.

TYPICAL USES:

landing gear bushings and bearings, control surface and actuator bushings and bearings, wing flap bearings, wheel bearings, brakes, door hardware, hydraulic actuators, valves, steering joints, helicopter controls, compression fit airframe fasteners, electronic system connectors



OIL AND GAS

The **OIL AND GAS INDUSTRY** requires an alloy which provides outstanding metal-to-metal wear, as well as resistance to corrosion, temperature and pressure such as Hardiall® C72900. Hardiall supports both offshore and onshore systems utilizing both vertical and directional drilling products.

Key Features and Benefits:

- ▶ High strength
- ▶ Corrosion resistance
- ▶ Erosion resistance
- ▶ Magnetic resistance
- ▶ Excellent lubricity
- ▶ Excellent wear resistance
- ▶ Excellent machinability
- ▶ Easy implementation
- ▶ Galling resistance

TYPICAL USES:

bushings, bearings, chemical processing equipment, components for oil refineries, fittings, steam fittings, drilling components, sucker rod, valve guide bushing couplings, springs, wire, marine components

C72900 (Hardial®) Overview

Chemical Composition

Ni% + Co%	Sn%	Fe%	Zn%	Mn%	Cb%	Mg%	Pb%	Cu%
14.50-15.50	7.50-8.50	0.50	0.50	0.30	0.10	0.15	0.02	Rem.

Note: Single values represent maximums.

Stocked Size Schedules*

AMS 4596 Solids

Size O.D.	Weight Per Inch	Weight Per Foot	Size O.D.	Weight Per Inch	Weight Per Foot	Size O.D.	Weight Per Inch	Weight Per Foot
0.750	0.143	1.714	2.250	1.286	15.427	3.750	3.571	42.853
1.000	0.254	3.047	2.500	1.587	19.046	4.000	4.063	48.758
1.250	0.397	4.761	2.625	1.750	20.998	4.500	5.142	61.709
1.500	0.571	6.857	2.750	1.921	23.046	5.000	6.349	76.184
1.750	0.778	9.333	3.000	2.286	27.426	5.500	7.682	92.182
1.875	0.893	10.713	3.250	2.682	32.188	6.000	9.142	109.705
2.000	1.016	12.189	3.500	3.111	37.330	6.750	11.570	138.845


AMS 4597 Solids

Size O.D.	Weight Per Inch	Weight Per Foot	Size O.D.	Weight Per Inch	Weight Per Foot	Size O.D.	Weight Per Inch	Weight Per Foot
0.750	0.143	1.714	1.250	0.397	4.761	1.750	0.778	9.333
1.000	0.254	3.047	1.500	0.571	6.857	2.000	1.016	12.189

AMS 4598 Tubes

Nom. Size I.D. x O.D.	Weight Per Inch	Weight Per Foot	Nom. Size I.D. x O.D.	Weight Per Inch	Weight Per Foot	Nom. Size I.D. x O.D.	Weight Per Inch	Weight Per Foot
3.000 x 4.500	3.015	36.179	3.500 x 5.000	3.374	40.492	6.440 x 7.660	4.718	56.615
			5.875	5.922	71.070	8.560	8.613	103.355

*Consult mill for other shapes/sizes.



14315 State Route 113 | Wakeman, OH 44889 | 800.626.7071 phone | 724.538.3956 fax | sales@concast.com

www.concast.com

