

Continuous-Cast Alloy Stocked Size Schedules

C86300

ASTM B505 Tubes and Solids

 **STANDARD-STOCKED PRODUCT**

Nominal Size I.D.	x	O.D.	Weight Per Inch	Weight Per Foot
1	x	1 1/2	0.368	4.417
		2	0.764	9.167
	2 1/2	3	1.292	15.500
		4	1.903	22.833
1 1/2	x	2	0.514	6.167
		2	0.368	4.417
2	x	2 1/4	0.368	4.417
		2 1/2	0.667	8.000
		2 3/4	0.972	11.667
		3	1.299	15.583
		3 1/2	2.118	25.417
		4	2.965	35.583
2 1/2	x	3	0.833	10.000
		3 1/2	1.667	20.000
		5	5.111	61.333
		6	7.771	93.250

Nominal Size I.D.	x	O.D.	Weight Per Inch	Weight Per Foot
3	x	3 1/2	1.076	12.917
		4	1.951	23.417
		5	4.104	49.250
3 1/2		4 1/4	1.875	22.500
		4 3/4	2.868	34.417
		5 1/2	4.514	54.167
4	x	4 1/2	1.569	18.833
		5	2.639	31.667
		6	5.326	63.917
		5	3.528	42.333
5	x	6	3.528	42.333
		7	6.396	76.750

Size O.D.	Weight Per Inch	Weight Per Foot
Solids		
1	0.257	3.083
1 1/2	0.542	6.500
2	0.944	11.333
2 1/2	1.438	17.250
3	2.069	24.833
3 1/2	2.861	34.333
4	3.688	44.250
4 1/2	4.792	57.500
5	5.806	69.667
6	8.569	102.833

Continuous-Cast Alloy Stocked Size Schedules (continued)

C89835 Lead-Free Replacement for C932, C836 and C844 Tubes and Solids

 **STANDARD-STOCKED PRODUCT**

Nominal Size		Weight Per Inch	Weight Per Foot
I.D.	x O.D.		
0.500	x 1.250	0.363	4.356
	1.500	0.541	6.492
	1.750	0.750	9.000
	2.000	1.000	12.000
0.750	x 1.250	0.290	3.480
	1.500	0.470	5.640
	1.750	0.677	8.124
	2.000	0.921	11.052
	2.250	1.194	14.328
	2.500	1.500	18.000
1.000	x 1.250	0.185	2.220
	1.500	0.362	4.344
	1.750	0.572	6.862
	2.000	0.816	9.792
	2.250	1.089	13.068
	2.500	1.393	16.716
	2.750	1.729	20.748
	3.000	2.100	25.200
	3.250	2.562	30.743
	3.500	3.000	36.000
	4.000	4.076	48.571
1.250	x 1.500	0.226	2.712
	1.750	0.435	5.220
	2.000	0.680	8.160
	2.250	0.952	11.424
	2.500	1.257	15.084
	2.750	1.592	19.104
	3.000	1.960	23.520
	3.250	2.419	29.029
	3.500	2.857	34.289
	4.000	3.905	46.857
1.500	x 1.750	0.267	3.204
	2.000	0.512	6.144
	2.250	0.784	9.408
	2.500	1.089	13.068
	2.750	1.424	17.088
	3.000	1.791	21.492
	3.250	2.248	26.971
	3.500	2.686	32.229
	3.750	3.162	37.943
	4.000	3.743	44.914
	4.500	4.737	56.844
1.750	x 2.000	0.312	3.744
	2.250	0.585	7.020
	2.500	0.889	10.668
	2.750	1.225	14.700
	3.000	1.592	19.104
	3.250	2.038	24.457
	3.500	2.486	29.829
	3.750	2.952	35.429
	4.000	3.543	42.514

Nominal Size		Weight Per Inch	Weight Per Foot
I.D.	x O.D.		
2.000	x 2.250	0.354	4.248
	2.500	0.658	7.896
	2.750	0.994	11.928
	3.000	1.361	16.332
	3.250	1.810	21.714
	3.500	2.248	26.971
	3.750	2.714	32.571
	4.000	3.314	39.771
	4.500	4.316	51.788
	5.000	5.523	66.342
2.250	x 2.750	0.731	8.772
	3.000	1.100	13.200
	3.250	1.533	18.400
	3.500	1.981	23.772
	3.750	2.448	29.371
	4.000	3.048	36.571
2.500	x 3.000	0.804	9.648
	3.250	1.238	14.857
	3.500	1.676	20.114
	3.750	2.152	25.829
	4.000	2.752	33.029
	4.500	3.768	45.221
	5.000	4.981	59.774
2.750	x 3.250	0.905	10.857
	3.500	1.349	16.114
	3.750	1.819	21.829
	4.000	2.419	29.029
	4.500	3.448	41.370
3.000	x 3.500	0.981	11.771
	3.750	1.448	17.371
	4.000	2.057	24.686
	4.500	3.095	37.141
	5.000	4.308	51.695
3.250	x 3.750	1.048	12.571
	4.000	1.666	20.000
	4.500	2.711	32.534
	5.000	3.924	47.088
3.500	x 4.000	1.238	14.857
	4.500	2.296	27.550
	5.000	3.509	42.103
3.750	x 4.500	1.849	22.187
	5.000	3.062	36.740
4.000	x 4.500	1.371	16.447
	5.000	2.583	31.000
4.250	x 5.000	2.073	24.881
4.500	x 5.000	1.532	18.384

Size O.D.	Weight Per Inch	Weight Per Foot
Solids		
1.000	0.276	3.314
1.250	0.429	5.143
1.500	0.610	7.314
1.750	0.829	9.943
2.000	1.076	12.914
2.250	1.352	16.229
2.500	1.667	20.000
2.750	2.010	24.114
3.000	2.390	28.686
3.500	3.156	37.871
4.000	4.160	49.916
4.500	5.247	62.958
5.000	6.459	77.512

Continuous-Cast Alloy Stocked Size Schedules (continued)

C90300

ASTM B505 Solids

GreenAlloy™

✓ **STANDARD-STOCKED PRODUCT**

Size O.D.	Weight Per Inch	Weight Per Foot
1	0.278	3.333
1 1/2	0.597	7.167
2	1.049	12.583
2 1/2	1.646	19.750

Size O.D.	Weight Per Inch	Weight Per Foot
3	2.361	28.333
3 1/2	3.201	38.417
4	4.215	50.583
4 1/2	5.319	63.833

Size O.D.	Weight Per Inch	Weight Per Foot
5	6.549	78.583
6	9.493	113.917

Continuous-Cast Alloy Stocked Size Schedules (continued)

C93200

ASTM B505 Tubes



Nominal Size I.D.	x	O.D.	Weight Per Inch	Weight Per Foot
1/2	x	1	0.224	2.692
		1 1/8	0.291	3.589
		1 1/4	0.383	4.598
		1 3/8	0.458	5.495
		1 1/2	0.561	6.729
		1 3/4	0.766	9.196
		2	1.019	12.224
5/8	x	1	0.187	2.243
		1 1/8	0.262	3.140
		1 1/4	0.346	4.150
		1 3/8	0.439	5.271
		1 1/2	0.533	6.393
		1 3/4	0.738	8.860
		2	0.981	11.776
3/4	x	1	0.140	1.682
		1 1/8	0.215	2.579
		1 1/4	0.308	3.701
		1 3/8	0.393	4.710
		1 1/2	0.495	5.944
		1 5/8	0.579	6.953
		1 3/4	0.701	8.411
		2	0.944	11.327
		2 1/4	1.215	14.579
		2 1/2	1.523	18.280
7/8	x	1 1/8	0.168	2.019
		1 1/4	0.262	3.140
		1 3/8	0.336	4.037
		1 1/2	0.449	5.383
		1 5/8	0.551	6.617
		1 3/4	0.645	7.738
		1 7/8	0.776	9.308
		2	0.897	10.766
		2 1/4	1.168	14.019
1	x	1 1/4	0.187	2.243
		1 3/8	0.290	3.477
		1 1/2	0.393	4.710
		1 5/8	0.495	5.944
		1 3/4	0.607	7.290
		1 7/8	0.720	8.636
		2	0.850	10.206
		2 1/4	1.112	13.346
		2 3/8	1.262	15.140
		2 1/2	1.421	17.047
		2 3/4	1.757	21.084
		3	2.131	25.570
		3 1/4	2.523	30.280
		3 1/2	2.963	35.551
		4	4.000	48.000

Nominal Size I.D.	x	O.D.	Weight Per Inch	Weight Per Foot
1 1/8	x	1 3/8	0.206	2.467
		1 1/2	0.308	3.701
		1 5/8	0.411	4.935
		1 3/4	0.533	6.393
		2	0.785	9.421
		2 1/8	0.907	10.879
		2 1/4	1.056	12.673
		2 1/2	1.336	16.037
1 1/4	x	1 1/2	0.234	2.804
		1 5/8	0.336	4.037
		1 3/4	0.467	5.607
		1 7/8	0.589	7.065
		2	0.710	8.523
		2 1/8	0.841	10.093
		2 1/4	0.981	11.776
		2 1/2	1.290	15.477
		2 3/4	1.626	19.514
		3	2.000	24.000
		3 1/4	2.411	28.935
		3 1/2	2.832	33.981
		4	3.869	46.430
1 3/8	x	1 5/8	0.271	3.252
		1 3/4	0.364	4.374
		1 7/8	0.486	5.832
		2	0.636	7.626
		2 1/8	0.766	9.196
		2 1/4	0.907	10.879
		2 3/8	1.065	12.785
		2 1/2	1.206	14.467
		2 5/8	1.383	16.598
		3	1.879	22.542
1 1/2	x	1 3/4	0.280	3.364
		1 7/8	0.393	4.710
		2	0.551	6.617
		2 1/8	0.673	8.075
		2 1/4	0.822	9.869
		2 3/8	0.981	11.776
		2 1/2	1.131	13.570
		2 3/4	1.458	17.495
		3	1.841	22.093
		3 1/4	2.252	27.028
		3 1/2	2.664	31.963
		3 3/4	3.150	37.794
		4	3.710	44.523
		4 1/2	4.776	57.308
1 5/8	x	2	0.430	5.159
		2 1/8	0.579	6.953
		2 1/4	0.729	8.748
		2 3/8	0.879	10.542
		2 1/2	1.028	12.336
		2 5/8	1.196	14.355
		2 3/4	1.355	16.262
		3	1.748	20.972

Nominal Size I.D.	x	O.D.	Weight Per Inch	Weight Per Foot
1 3/4	x	2	0.327	3.925
		2 1/8	0.477	5.720
		2 1/4	0.626	7.514
		2 3/8	0.776	9.308
		2 1/2	0.935	11.215
		2 5/8	1.084	13.009
		2 3/4	1.262	15.140
		3	1.645	19.738
		3 1/4	2.056	24.673
		3 1/2	2.486	29.832
		3 3/4	2.879	34.542
		4	3.533	42.393
		4 1/4	4.019	48.224
1 7/8	x	2 1/4	0.514	6.168
		2 3/8	0.673	8.075
		2 1/2	0.822	9.869
		2 5/8	0.972	11.664
		2 3/4	1.159	13.907
		3	1.495	17.944
2	x	2 1/4	0.355	4.262
		2 3/8	0.551	6.617
		2 1/2	0.710	8.523
		2 5/8	0.869	10.430
		2 3/4	1.037	12.449
		2 7/8	1.215	14.579
		3	1.430	17.159
		3 1/4	1.832	21.981
		3 1/2	2.252	27.028
		3 3/4	2.738	32.864
		4	3.308	39.701
		4 1/2	4.364	52.374
		5	5.533	66.393
		5 1/2	7.009	84.112
		6	8.467	101.607
2 1/8	x	2 5/8	0.738	8.860
		2 3/4	0.879	10.542
		2 7/8	1.093	13.121
		3	1.299	15.589
		3 1/2	2.121	25.458
2 1/4	x	2 3/4	0.785	9.421
		2 7/8	0.953	11.439
		3	1.150	13.794
		3 1/8	1.327	15.925
		3 1/4	1.570	18.841
		3 1/2	2.000	24.000
		3 3/4	2.467	29.607
		4	3.056	36.673
		4 1/4	3.533	42.393

Continuous-Cast Alloy Stocked Size Schedules (continued)

C93200 (continued) ASTM B505 Tubes

 **STANDARD-STOCKED PRODUCT**

Nominal Size I.D.	x	O.D.	Weight Per Inch	Weight Per Foot
2 3/8	x	2 3/4	0.589	7.065
		2 7/8	0.813	9.757
		3	1.009	12.112
		3 1/4	1.355	16.262
		3 1/2	1.785	21.421
		4	2.841	34.093
2 1/2	x	2 3/4	0.439	5.271
		3	0.869	10.430
		3 1/8	1.065	12.785
		3 1/4	1.280	15.364
		3 1/2	1.720	20.636
		3 3/4	2.187	26.243
		4	2.776	33.308
		4 1/4	3.318	39.813
		4 1/2	3.804	45.645
		4 3/4	4.355	52.262
		5	5.019	60.224
		5 1/2	6.467	77.607
		6	7.953	95.439
2 5/8	x	3 1/2	1.542	18.505
2 3/4	x	3 1/4	0.944	11.327
		3 1/2	1.364	16.374
		3 3/4	1.850	22.206
		4	2.449	29.383
		4 1/4	3.000	36.000
		4 1/2	3.495	41.944
		4 3/4	4.056	48.673
		5 3/4	6.981	83.776
2 7/8	x	4	2.299	27.589
3	x	3 1/2	0.963	11.551
		3 3/4	1.495	17.944
		4	2.112	25.346
		4 1/4	2.664	31.963
		4 1/2	3.140	38.00
		4 3/4	3.738	44.860
		5	4.346	52.150
		5 1/2	5.869	70.430
		6	7.280	87.364
		6 1/2	8.888	106.654
		7	10.607	127.290
		8	14.402	172.822
3 1/4	x	3 3/4	1.037	12.449
		4	1.710	20.523
		4 1/4	2.271	27.252
		4 1/2	2.720	32.636
		4 3/4	3.318	39.813
		5	3.925	47.103
		5 1/2	5.439	65.271

Nominal Size I.D.	x	O.D.	Weight Per Inch	Weight Per Foot
3 1/2	x	4	1.234	14.804
		4 1/4	1.804	21.645
		4 1/2	2.346	28.150
		4 3/4	2.897	34.766
		5	3.523	42.280
		5 1/4	4.336	52.037
		5 1/2	5.065	60.785
		6	6.495	77.944
		6 1/2	8.093	97.121
3 3/4	x	4 1/2	1.916	22.991
		4 3/4	2.449	29.383
		5	3.065	36.785
		5 1/2	4.636	55.626
		6	6.056	72.673
4	x	4 1/2	1.393	16.710
		4 3/4	1.972	23.664
		5	2.598	31.178
		5 1/4	3.430	41.159
		5 1/2	4.121	49.458
		6	5.589	67.065
		6 1/2	7.178	86.131
		7	8.907	106.879
		7 1/2	10.748	128.972
		8	12.710	152.523
		9	17.000	204.000
4 1/4	x	4 3/4	1.467	17.607
		5	2.084	25.009
		5 1/4	2.935	35.215
		5 1/2	3.617	43.402
		6	5.093	61.121
		6 1/2	6.673	80.075
4 1/2	x	5	1.650	19.800
		5 1/4	2.346	28.150
		5 1/2	3.103	37.234
		6	4.551	54.617
		6 1/2	6.159	73.907
		7	7.860	94.318
4 3/4	x	5 1/4	1.822	21.869
		5 1/2	2.523	30.280
		5 3/4	3.234	38.804
		6	3.972	47.664
		6 1/2	5.579	66.953
5	x	5 1/2	1.925	23.103
		5 3/4	2.636	31.626
		6	3.393	40.710
		6 1/2	5.000	60.000
		7	6.710	80.523
		7 1/2	8.561	102.729
		8	10.505	126.056
		9	14.813	177.757
		10	20.056	240.673
		11	26.067	312.800

Nominal Size I.D.	x	O.D.	Weight Per Inch	Weight Per Foot
5 1/4	x	7	6.084	73.009
5 1/2	x	6	2.103	25.234
		6 1/2	3.692	44.299
		7	5.421	65.047
		7 1/2	7.262	87.140
		8	9.224	110.692
5 3/4	x	6 3/4	3.832	45.981
		7 1/4	5.636	67.626
		7 1/2	6.561	78.729
		8 1/2	10.654	127.850
6	x	6 1/2	2.252	27.028
		6 3/4	3.121	37.458
		7	3.991	47.888
		7 1/4	4.907	58.879
		7 1/2	5.832	69.981
		8	7.804	93.645
		8 1/2	9.916	118.991
		9	12.112	145.346
		10	17.103	205.234
		11	22.421	269.047
		12	28.271	339.252
6 1/2	x	7 1/4	3.374	40.486
		7 1/2	4.299	51.589
		8	6.262	75.140
		8 1/2	8.374	100.486
		9	10.589	127.065
		9 1/2	13.093	157.121
7	x	7 3/4	3.589	43.065
		8	4.598	55.178
		8 1/2	6.692	80.299
		9	8.916	106.991
		9 1/2	11.421	137.047
		10	13.897	166.766
		11	19.271	231.252
		12	25.168	302.019
7 1/2	x	8 1/2	4.916	58.991
		9	7.112	85.346
		9 1/2	9.617	115.402
		10	12.019	144.224
		10 1/2	14.757	177.084
8	x	9	5.308	63.701
		9 1/4	6.505	78.056
		9 1/2	7.729	92.748
		10	10.196	122.355
		10 1/2	12.841	154.093
		11	15.561	186.729
		12	21.421	257.047
		13	28.383	340.598

Continuous-Cast Alloy Stocked Size Schedules (continued)

C93200 (continued)

ASTM B505 Tubes and Solids

 **STANDARD-STOCKED PRODUCT**

Nominal Size I.D.	x	O.D.	Weight Per Inch	Weight Per Foot
8 1/2	x	9 1/2	5.869	70.430
		10	8.159	97.907
		10 1/2	10.738	128.860
		11 1/2	16.748	200.972
9	x	10	6.159	73.907
		10 1/4	8.589	103.065
		10 1/2	8.673	104.075
		11	11.327	135.925
		11 1/2	14.224	170.692
		12	17.290	207.477
		14	31.952	383.429
9 1/2	x	10 1/2	6.477	77.720
		11	9.075	108.897
		11 1/2	11.850	142.206
		12 1/2	18.355	220.262
10	x	11	6.794	81.533
		11 1/2	9.533	114.393
		12	12.551	150.617
		13	19.159	229.907
		14	26.019	312.224
		16	42.848	514.171
10 1/2	x	11 1/2	7.065	84.785
		12	9.925	119.103
		12 1/2	13.364	160.374
		13	16.701	200.411
11	x	12	7.486	89.832
		12 1/2	10.879	130.542
		13	13.953	167.439
		14	20.841	250.093
11 1/2	x	13	11.140	133.682
		13 1/2	14.542	174.505
		14 1/2	21.570	258.841
12	x	13 1/2	11.813	141.757
		14	15.131	181.570
		15	22.477	269.720
		16	31.686	380.229

Nominal Size I.D.	x	O.D.	Weight Per Inch	Weight Per Foot
12 1/2	x	14	12.093	145.121
13	x	14 1/2	12.486	149.832
		15	16.542	198.505
		16	25.324	303.886
13 1/2	x	15 1/2	16.907	202.879
14	x	15 1/2	13.430	161.159
		16	17.692	212.299

Size O.D.	Weight Per Inch	Weight Per Foot
Solids		
1/2	0.075	0.897
5/8	0.112	1.346
3/4	0.159	1.907
7/8	0.215	2.579
1	0.271	3.252
1 1/8	0.346	4.150
1 1/4	0.421	5.047
1 3/8	0.579	6.953
1 1/2	0.607	7.290
1 5/8	0.701	8.411
1 3/4	0.813	9.757
1 7/8	0.925	11.103
2	1.056	12.673
2 1/8	1.187	14.243
2 1/4	1.327	15.925
2 3/8	1.477	17.720
2 1/2	1.636	19.626
2 5/8	1.794	21.533
2 3/4	1.972	23.664
2 7/8	2.150	25.794
3	2.346	28.150
3 1/4	2.738	32.860
3 1/2	3.168	38.019
3 3/4	3.636	43.626
4	4.178	50.131
4 1/4	4.710	56.523
4 1/2	5.271	63.252
4 3/4	5.841	70.093
5	6.439	77.271
5 1/4	7.206	86.467
5 1/2	7.916	94.991
6	9.336	112.037
6 1/2	10.907	130.879
7	12.636	151.626
7 1/2	14.486	173.832
8	16.411	196.935
9	20.673	248.075
10	25.607	307.290
11	30.822	369.869
12	35.701	428.411
13	43.215	518.579

Continuous-Cast Alloy Stocked Size Schedules (continued)

C93200 (continued)

ASTM B505 Rectangles and Squares

 **STANDARD-STOCKED PRODUCT**

Nominal Size			Weight	Weight		
Thickness	x	Width	Per Inch	Per Foot		
1/4	x	4	0.466	5.589		
		8	0.986	11.836		
		12	1.445	17.342		
3/8	x	4	0.630	7.562		
		8	1.308	15.669		
		12	1.932	23.178		
1/2	x	1	0.226	2.712		
		2	0.432	5.178		
		3	0.637	7.644		
		4	0.788	9.452		
		5	1.048	12.575		
		6	1.274	15.288		
		7	1.452	17.425		
		8	1.623	19.479		
		9	1.863	22.356		
		10	2.048	24.575		
		12	2.507	30.082		
		14	2.856	34.274		
		15	2.993	35.918		
		5/8	x	1	0.281	3.370
				2	0.521	6.247
3	0.767			9.205		
4	0.966			11.589		
5	1.260			15.123		
6	1.507			18.082		
7	1.753			21.041		
8	1.932			23.178		
9	2.247			26.959		
10	2.493			29.918		
12	2.986			35.836		
14	3.479			41.753		
15	3.603			43.233		

Nominal Size			Weight	Weight		
Thickness	x	Width	Per Inch	Per Foot		
3/4	x	1	0.322	3.863		
		2	0.610	7.315		
		3	0.897	10.767		
		4	1.123	13.479		
		5	1.466	17.589		
		6	1.726	20.712		
		7	2.034	24.411		
		8	2.281	27.370		
		9	2.610	31.315		
		10	2.849	34.192		
		12	3.377	40.521		
		14	4.034	48.411		
		16	4.562	54.740		
		18	4.979	59.753		
		1	x	1	0.418	5.014
				2	0.712	8.548
				3	1.048	12.575
				4	1.466	17.589
5	1.884			22.603		
6	2.253			27.041		
7	2.616			31.397		
8	2.932			35.178		
9	3.349			40.192		
10	3.658			43.890		
1 1/4	x	1	0.507	6.082		
		2	0.959	11.507		
		3	1.411	16.932		
		4	1.788	21.452		
		5	2.315	27.781		
		6	2.767	33.205		
		7	3.219	38.630		
		8	3.596	43.151		
		9	4.123	49.479		
		10	4.575	54.904		
1 1/2	x	1	0.507	6.082		
		2	0.959	11.507		
		3	1.411	16.932		
		4	1.788	21.452		
		5	2.315	27.781		
		6	2.767	33.205		
		7	3.219	38.630		
		8	3.596	43.151		
		9	4.123	49.479		
		10	4.575	54.904		

Nominal Size			Weight	Weight
Thickness	x	Width	Per Inch	Per Foot
1 1/2	x	2	1.021	12.247
		3	1.514	18.164
		4	2.123	25.479
		5	2.575	30.904
		6	3.158	37.890
		7	3.671	44.055
		8	4.240	50.877
		9	4.705	56.466
		10	5.219	62.630
		11	5.740	68.877
		12	6.411	76.932
		1 3/4	x	4
8	4.918			59.014
12	7.253			87.041
2	x	4	2.781	33.370
		8	5.562	66.740
		11	7.562	90.740
		12	8.322	99.863
3	x	11	11.096	133.151
		12	11.096	133.151
4	x	4	5.384	64.603
		11	14.651	175.808
6	x	10	19.836	238.027
		12	19.836	238.027
6 1/4	x	6 1/4	13.062	156.740
		12	13.062	156.740
8	x	8	21.137	253.644
		12	21.137	253.644

Continuous-Cast Alloy Stocked Size Schedules (continued)

C95400

ASTM B505 Tubes and Solids

GreenAlloy™

✓ **STANDARD-STOCKED PRODUCT**

Nominal Size I.D.	x	O.D.	Weight Per Inch	Weight Per Foot
3/4	x	1 1/4	0.278	3.333
		1 1/2	0.431	5.167
		1 3/4	0.611	7.333
		2	0.819	9.833
7/8	x	1 1/4	0.243	2.917
1	x	1 3/8	0.271	3.250
		1 1/2	0.347	4.167
		1 3/4	0.528	6.333
		2	0.736	8.833
		2 1/4	0.972	11.667
		2 1/2	1.236	14.833
		3	1.840	22.083
		3 1/2	2.618	31.417
		4	3.438	41.250
1 1/4	x	1 3/4	0.417	5.000
		2	0.625	7.500
		2 1/4	0.861	10.333
		2 1/2	1.118	13.417
		2 3/4	1.396	16.750
		3	1.729	20.750
		3 1/2	2.514	30.167
1 1/2	x	1 7/8	0.382	4.583
		2	0.486	5.833
		2 1/4	0.722	8.667
		2 1/2	0.986	11.833
		2 3/4	1.278	15.333
		3	1.590	19.083
		3 1/2	2.389	28.667
		4	3.201	38.417
		4 1/2	4.132	49.583
1 3/4	x	2 1/8	0.438	5.250
		2 1/4	0.556	6.667
		2 1/2	0.806	9.667
		2 3/4	1.111	13.333
		3	1.431	17.167
		3 1/4	1.854	22.250
		3 1/2	2.257	27.08
		3 3/4	2.611	31.333
		4	2.965	35.583
2	x	2 3/8	0.493	5.917
		2 1/2	0.625	7.500
		2 3/4	0.910	10.917
		3	1.243	14.917
		3 1/4	1.681	20.167
		3 1/2	2.042	24.500
		3 3/4	2.438	29.250
		4	2.861	34.333
		4 1/2	3.799	45.583
		5	4.917	59.000
		6	7.507	90.083
2 1/4	x	2 5/8	0.549	6.583
		2 3/4	0.694	8.333
		3	1.007	12.083
		3 1/4	1.458	17.500
		3 1/2	1.826	21.917
		3 3/4	2.243	26.917
		4	2.674	32.083

Nominal Size I.D.	x	O.D.	Weight Per Inch	Weight Per Foot
2 1/2	x	3	0.771	9.250
		3 1/4	1.208	14.500
		3 1/2	1.590	19.083
		3 3/4	1.986	23.833
		4	2.417	29.000
		4 1/2	3.333	40.000
		5	4.472	53.667
		6	7.076	84.917
2 3/4	x	3 1/4	0.951	11.417
		3 1/2	1.306	15.667
		3 3/4	1.729	20.750
		4	2.146	25.750
		4 1/4	2.590	31.083
		4 1/2	3.042	36.500
3	x	3 1/2	1.021	12.250
		3 3/4	1.431	17.167
		4	1.854	22.250
		4 1/4	2.299	27.583
		4 1/2	2.785	33.417
		5	3.924	47.083
		5 1/2	5.090	61.083
		6	6.549	78.583
		7	9.396	112.750
3 1/4	x	3 3/4	1.111	13.333
		4	1.535	18.417
		4 1/2	2.451	29.417
		5	3.611	43.333
3 1/2	x	4	1.208	14.500
		4 1/4	1.653	19.833
		4 1/2	2.125	25.500
		5	3.264	39.167
		5 1/2	4.417	53.000
		6	5.882	70.583
3 3/4	x	4 3/4	2.313	27.750
4	x	4 1/2	1.361	16.333
		4 3/4	1.972	23.667
		5	2.528	30.333
		5 1/2	3.667	44.000
		6	5.139	61.667
		7	7.993	95.917
		8	11.222	134.667
4 1/4	x	5	2.104	25.250
4 1/2	x	5	1.708	20.500
		5 1/4	2.181	26.167
		5 1/2	2.819	33.833
		6	4.301	51.667
		6 1/2	5.639	67.667
		7 1/2	8.729	104.750
5	x	5 1/2	1.840	22.083
		5 3/4	2.660	31.917
		6	3.361	40.333
		6 1/2	4.722	56.667
		7	6.201	74.417
		8	9.431	113.167
5 1/2	x	6 1/2	3.639	43.667

Nominal Size I.D.	x	O.D.	Weight Per Inch	Weight Per Foot
6	x	7	3.9861	47.833
	x	8	7.236	86.833
		9	10.868	130.417
6 1/2	x	7 1/2	4.271	51.250
7	x	8	4.556	54.667
	x	9	8.257	99.083
	x	10	12.070	144.840
8	x	10	8.980	107.760
	x	11	13.490	161.880
	x	12	18.430	221.160
8 1/2	x	10 1/2	9.196	110.352
9	x	11	9.980	119.760
9	x	12	14.910	178.920
10	x	12	10.970	131.640

*Available in 13" minimum lengths and 1" increments above 13".

Size O.D.	Weight Per Inch	Weight Per Foot
Solids		
1/2	0.069	0.833
5/8	0.097	1.167
3/4	0.139	1.667
7/8	0.188	2.250
1	0.243	2.917
1 1/4	0.368	4.417
1 1/2	0.521	6.250
1 5/8	0.611	7.333
1 3/4	0.701	8.417
2	0.910	10.917
2 1/4	1.146	13.750
2 1/2	1.396	16.750
2 3/4	1.688	20.250
3	2.000	24.000
3 1/4	2.389	28.667
3 1/2	2.771	33.250
3 3/4	3.153	37.833
4	3.576	42.917
4 1/4	4.035	48.417
4 1/2	4.500	54.000
4 3/4	5.083	61.000
5	5.625	67.500
5 1/2	6.764	81.167
6	8.194	98.333
6 1/2	9.556	114.667
7	11.049	132.583
8	14.333	172.000
9	18.007	216.083

Continuous-Cast Alloy Stocked Size Schedules (continued)

C95400 (continued)

GreenAlloy™

ASTM B505 Rectangles and Squares

✓ **STANDARD-STOCKED PRODUCT**

Nominal Size Thickness	x	Width	Weight Per Inch	Weight Per Foot
1/4	x	1	0.103	1.233
		1 1/2	0.144	1.726
		2	0.192	2.301
		2 1/2	0.240	2.877
		3	0.281	3.370
		4	0.377	4.521
		5	0.459	5.507
		6	0.596	7.151
		12	1.130	13.562
3/8	x	1	0.137	1.644
		1 1/2	0.199	2.384
		2	0.260	3.123
		2 1/2	0.322	3.863
		3	0.384	4.603
		3 1/2	0.452	5.425
		4	0.507	6.082
		5	0.630	7.562
		6	0.795	9.534
		8	1.041	12.493
		12	1.521	18.247
1/2	x	1/2	0.089	1.068
		1	0.171	2.055
		1 1/4	0.212	2.548
		1 1/2	0.253	3.041
		2	0.329	3.945
		2 1/2	0.411	4.932
		3	0.486	5.836
		3 1/2	0.568	6.822
		4	0.644	7.726
		5	0.801	9.616
		6	0.993	11.918
		8	1.315	15.781
		10	1.630	19.562
		12	1.938	23.260
5/8	x	1	0.205	2.466
		1 1/2	0.301	3.616
		2	0.397	4.767
		2 1/2	0.493	5.918
		3	0.589	7.068
		4	0.781	9.370
		5	0.973	11.671
		6	1.199	14.384
		8	1.562	18.740

Nominal Size Thickness	x	Width	Weight Per Inch	Weight Per Foot
3/4	x	3/4	0.192	2.301
		1	0.247	2.959
		1 1/2	0.356	4.274
		2	0.466	5.589
		2 1/2	0.582	6.986
		3	0.692	8.301
		3 1/2	0.801	9.616
		4	0.918	11.014
		5	1.144	13.726
		6	1.404	16.849
		8	1.836	22.027
		12	2.678	32.137
1	x	1	0.315	3.781
		1 1/4	0.390	4.685
		1 1/2	0.459	5.507
		1 3/4	0.534	6.411
		2	0.610	7.315
		2 1/2	0.753	9.041
		3	0.897	10.767
		3 1/2	1.041	12.493
		4	1.192	14.301
		5	1.479	17.753
		6	1.801	21.616
		7	2.068	24.822
		8	2.370	28.438
		12	3.493	41.918
		15	4.925	59.096
1 1/4	x	1 1/4	0.473	5.671
		1 1/2	0.568	6.822
		1 3/4	0.658	7.890
		2	0.747	8.959
		2 1/2	0.925	11.096
		3	1.103	13.233
		3 1/2	1.281	15.370
		4	1.466	17.589
		5	1.808	21.699
		10	3.637	43.644
1 1/2	x	1 1/2	0.671	8.055
		1 3/4	0.774	9.288
		2	0.890	10.685
		2 1/2	1.103	13.233
		3	1.308	15.699
		3 1/2	1.527	18.329
		4	1.740	20.877
		5	2.144	25.726
		6	2.651	31.808
		12	5.130	61.562
		15	6.911	82.932

Nominal Size Thickness	x	Width	Weight Per Inch	Weight Per Foot
1 3/4	x	2	1.027	12.329
		2 1/2	1.274	15.288
		3	1.514	18.164
		4	2.014	24.164
		5	2.507	30.082
		10	5.007	60.082
2	x	2	1.171	14.055
		2 1/2	1.445	17.342
		3	1.726	20.712
		3 1/2	2.000	24.000
		4	2.295	27.534
		6	3.459	41.507
		12	6.870	82.438
		15	8.918	107.014
2 1/2	x	2 1/2	1.795	21.534
		3	2.137	25.644
		4	2.836	34.027
		5	3.527	42.329
		6	4.240	50.877
		12	8.445	101.342
		15	11.075	132.904
3	x	3	2.541	30.493
		4	3.384	40.603
		6	5.089	61.068
		15	13.123	157.479
3 1/2	x	15	15.151	181.808
4	x	4	4.466	53.589
		15	17.226	206.712
6	x	6	9.986	119.836

Continuous-Cast Alloy Stocked Size Schedules (continued)

C95500

GreenAlloy™

ASTM B505 Solids

✓ STANDARD-STOCKED PRODUCT

Size O.D.	Weight Per Inch	Weight Per Foot
1.000	0.243	2.917
1.500	0.535	6.417
2.000	0.924	11.083

Size O.D.	Weight Per Inch	Weight Per Foot
2.500	1.424	17.083
3.000	2.035	24.417
3.500	2.806	33.667

Size O.D.	Weight Per Inch	Weight Per Foot
4.000	3.646	43.750

AMS 4880-C95510

ASTM B505 Tubes

✓ STANDARD-STOCKED PRODUCT

Nominal Size O.D.	x	I.D.	Weight Per Inch	Weight Per Foot
2.000	x	1.000	0.739	8.868
2.250	x	1.250	0.867	10.404
		1.500	0.707	8.484
2.500	x	1.000	1.242	14.904
		1.500	1.002	12.024
		1.750	0.821	9.852
2.750	x	1.500	1.254	15.048
		1.750	1.008	12.096
2.875	x	1.875	1.149	13.788
		2.000	1.210	14.520
3.000	x	1.500	1.515	18.180
		2.000	1.210	14.520
3.125	x	2.125	1.378	16.536
3.250	x	2.000	1.657	19.884
		2.250	1.512	18.144

Nominal Size O.D.	x	I.D.	Weight Per Inch	Weight Per Foot
3.500	x	1.500	2.476	29.712
		2.500	1.639	19.668
3.750	x	2.000	2.437	29.244
		2.500	1.943	23.316
		2.750	1.764	21.168
4.000	x	2.000	2.860	34.320
		2.500	2.505	30.060
4.125	x	3.125	1.923	23.076
4.250	x	3.000	2.311	27.732
4.500	x	2.500	3.327	39.924
		3.000	2.792	33.504
5.000	x	3.000	4.207	50.484
		3.750	3.012	36.144
5.500	x	3.500	4.396	52.752

Nominal Size O.D.	x	I.D.	Weight Per Inch	Weight Per Foot
5.750	x	4.250	3.979	47.748
6.000	x	3.000	6.469	77.628
		3.750	5.556	66.672
		4.500	4.433	53.196
		5.375	2.397	28.764
6.500	x	4.000	6.608	79.296
		5.000	4.704	56.448
7.000	x	4.000	8.000	96.000
8.000	x	6.000	7.347	88.164
8.500	x	6.000	8.866	106.392
		6.500	7.568	90.816
11.000	x	9.000	9.867	118.404
12.000	x	10.250	9.794	117.528
13.000	x	10.000	16.564	198.768

Continuous-Cast Alloy Stocked Size Schedules (continued)

C95900

GreenAlloy™

ASTM B505 Rectangles, Squares, and Solids

✓ **STANDARD-STOCKED PRODUCT**

Nominal Size Thickness	x Width	Weight Per Inch	Weight Per Foot
Imperial Plate Sizes			
1/4	x 1	0.160	1.917
	2	0.285	3.417
	3	0.313	3.750
	4	0.542	6.500
	5	0.667	8.000
	6	0.799	9.583
	7	0.924	11.083
	8	1.049	12.583
	9	1.181	14.167
	10	1.306	15.667
	12	1.563	18.750
	3/8	x 1	0.201
2		0.361	4.333
3		0.424	5.083
4		0.681	8.167
5		0.833	10.000
6		0.993	11.917
7		1.153	13.833
8		1.313	15.750
9		1.472	17.667
10		1.632	19.583
12		1.958	23.500
1/2		x 1	0.236
	2	0.431	5.167
	3	0.521	6.250
	4	0.813	9.750
	5	1.007	12.083
	6	1.194	14.333
	7	1.389	16.667
	8	1.576	18.917
	9	1.771	21.250
	10	1.958	23.500
	12	2.319	27.833
	5/8	x 1 1/2	0.326
3/4	x 1	0.319	3.833
	2	0.576	6.917
	3	0.729	8.750
	4	1.083	13.000
	5	1.340	16.083
	6	1.597	19.167
	7	1.847	22.167
	8	2.104	25.250
	9	2.361	28.333
	10	2.611	31.333
	12	3.118	37.417

Nominal Size Thickness	x Width	Weight Per Inch	Weight Per Foot
Imperial Plate Sizes			
1	x 1	0.396	4.750
	2	0.715	8.583
	2 1/2	0.785	9.417
	3	0.931	11.167
	4	1.229	14.750
	5	1.514	18.167
	6	1.813	21.750
	7	2.313	27.750
	8	2.632	31.583
	9	2.951	35.417
	10	3.264	39.167
	12	3.951	47.417
1 1/2	x 4	1.792	21.500
1 3/4	x 2 1/2	1.257	15.083
2	x 5	2.771	33.250
2 1/2	x 4	2.868	34.417
	7	4.757	57.083

Nominal Size Thickness	x Width	Weight Per Inch	Weight Per Foot
Metric Plate Sizes			
20 mm	x 50 mm	0.486	5.833
20 mm	x 80 mm	0.764	9.167
20 mm	x 100 mm	0.944	11.333
20 mm	x 125 mm	1.174	14.083
20 mm	x 160 mm	1.507	18.083

Size O.D.	Weight Per Inch	Weight Per Foot
Solids		
1	0.236	2.833
1 1/4	0.354	4.250
1 1/2	0.507	6.083
1 3/4	0.701	8.417
2	0.875	10.500
2 1/4	1.104	13.250
2 1/2	1.347	16.167
3	1.938	23.250
3 1/2	2.694	32.333
4	3.431	41.167
4 1/2	4.549	54.583
5	5.368	64.417

Continuous-Cast Alloy Stocked Size Schedules (continued)

CONCAST380 Solids and Rectangles

 **STANDARD-STOCKED PRODUCT**

Size O.D.	Weight Per Inch	Weight Per Foot
1	0.229	2.750
1 1/2	0.500	6.000
2	0.861	10.333
2 1/2	1.326	15.917
3	1.896	22.750

Size O.D.	Weight Per Inch	Weight Per Foot
3 1/2	2.611	31.333
4	3.382	40.583
4 1/2	4.257	51.083
5	5.306	63.667

Nominal Thickness	Size x Width	Weight Per Inch	Weight Per Foot
Rectangles			
2	x 10	5.493	65.917
3	x 10	8.076	96.917