

Continuous-Cast Alloy Stocked Size Schedules

C86300

ASTM B505 Tubes

 **STANDARD-STOCKED PRODUCT**

| Nominal Size | | | Weight Per Inch | Weight Per Foot |
|--------------|-------|--------|--------------------|--------------------|
| I.D. | x | O.D. | | |
| 1 | x | 1 1/2 | 0.368 | 4.417 |
| | | 2 | 0.764 | 9.167 |
| | 2 1/2 | | 1.292 | 15.500 |
| | | | 3 | 1.903 |
| | | 4 | 3.556 | 42.667 |
| 1 1/2 | x | 2 | 0.514 | 6.167 |
| 2 | x | 2 1/4 | 0.368 | 4.417 |
| | | 2 1/2 | 0.667 | 8.000 |
| | | 2 3/4 | 0.972 | 11.667 |
| | | 3 | 1.299 | 15.583 |
| | | 3 1/2 | 2.118 | 25.417 |
| | | 4 | 2.965 | 35.583 |
| | | 5 | 5.111 | 61.333 |
| 6 | 7.771 | 93.250 | | |

| Nominal Size | | | Weight Per Inch | Weight Per Foot |
|--------------|---|-------|--------------------|--------------------|
| I.D. | x | O.D. | | |
| 2 1/2 | x | 3 | 0.833 | 10.000 |
| | | 3 1/2 | 1.667 | 20.000 |
| 3 | x | 3 1/2 | 1.076 | 12.917 |
| | | 4 | 1.951 | 23.417 |
| | | 5 | 4.104 | 49.250 |
| 3 1/2 | | 4 1/4 | 1.875 | 22.500 |
| | | 4 3/4 | 2.868 | 34.417 |
| | | 5 1/2 | 4.514 | 54.167 |

| Nominal Size | | | Weight Per Inch | Weight Per Foot |
|--------------|---|-------|--------------------|--------------------|
| I.D. | x | O.D. | | |
| 4 | x | 4 1/2 | 1.569 | 18.833 |
| | | 5 | 2.639 | 31.667 |
| | | 6 | 5.326 | 63.917 |
| 5 | x | 6 | 3.528 | 42.333 |
| | | 7 | 6.396 | 76.750 |

ASTM B505 Solids

| Size O.D. | Weight Per Inch | Weight Per Foot |
|--------------|--------------------|--------------------|
| 1 | 0.257 | 3.083 |
| 1 1/2 | 0.542 | 6.500 |
| 2 | 0.944 | 11.333 |
| 2 1/2 | 1.438 | 17.250 |

| Size O.D. | Weight Per Inch | Weight Per Foot |
|--------------|--------------------|--------------------|
| 3 | 2.069 | 24.833 |
| 3 1/2 | 2.861 | 34.333 |
| 4 | 3.688 | 44.250 |
| 4 1/2 | 4.792 | 57.500 |

| Size O.D. | Weight Per Inch | Weight Per Foot |
|--------------|--------------------|--------------------|
| 5 | 5.806 | 69.667 |
| 6 | 8.569 | 102.833 |

Continuous-Cast Alloy Stocked Size Schedules (continued)

C89835 Lead-Free Replacement for C932, C836 and C844

GreenAlloys™

Tubes

✓ STANDARD-STOCKED PRODUCT

| Nominal Size I.D. x O.D. | Weight Per Inch | Weight Per Foot |
|-----------------------------|--------------------|--------------------|
| 0.500 x 1.250 | 0.363 | 4.356 |
| 1.500 | 0.541 | 6.492 |
| 1.750 | 0.750 | 9.000 |
| 2.000 | 1.000 | 12.000 |
| 0.750 x 1.250 | 0.290 | 3.480 |
| 1.500 | 0.470 | 5.640 |
| 1.750 | 0.677 | 8.124 |
| 2.000 | 0.921 | 11.052 |
| 2.250 | 1.194 | 14.328 |
| 2.500 | 1.500 | 18.000 |
| 1.000 x 1.250 | 0.185 | 2.220 |
| 1.500 | 0.362 | 4.344 |
| 1.750 | 0.572 | 6.862 |
| 2.000 | 0.816 | 9.792 |
| 2.250 | 1.089 | 13.068 |
| 2.500 | 1.393 | 16.716 |
| 2.750 | 1.729 | 20.748 |
| 3.000 | 2.100 | 25.200 |
| 3.250 | 2.562 | 30.743 |
| 3.500 | 3.000 | 36.000 |
| 4.000 | 4.076 | 48.571 |
| 1.250 x 1.500 | 0.226 | 2.712 |
| 1.750 | 0.435 | 5.220 |
| 2.000 | 0.680 | 8.160 |
| 2.250 | 0.952 | 11.424 |
| 2.500 | 1.257 | 15.084 |
| 2.750 | 1.592 | 19.104 |
| 3.000 | 1.960 | 23.520 |
| 3.250 | 2.419 | 29.029 |
| 3.500 | 2.857 | 34.289 |
| 4.000 | 3.905 | 46.857 |

| Nominal Size I.D. x O.D. | Weight Per Inch | Weight Per Foot |
|-----------------------------|--------------------|--------------------|
| 1.500 x 1.750 | 0.267 | 3.204 |
| 2.000 | 0.512 | 6.144 |
| 2.250 | 0.784 | 9.408 |
| 2.500 | 1.089 | 13.068 |
| 2.750 | 1.424 | 17.088 |
| 3.000 | 1.791 | 21.492 |
| 3.250 | 2.248 | 26.971 |
| 3.500 | 2.686 | 32.229 |
| 3.750 | 3.162 | 37.943 |
| 4.000 | 3.743 | 44.914 |
| 4.500 | 4.737 | 56.844 |
| 1.750 x 2.000 | 0.312 | 3.744 |
| 2.250 | 0.585 | 7.020 |
| 2.500 | 0.889 | 10.668 |
| 2.750 | 1.225 | 14.700 |
| 3.000 | 1.592 | 19.104 |
| 3.250 | 2.038 | 24.457 |
| 3.500 | 2.486 | 29.829 |
| 3.750 | 2.952 | 35.429 |
| 4.000 | 3.543 | 42.514 |
| 2.000 x 2.250 | 0.354 | 4.248 |
| 2.500 | 0.658 | 7.896 |
| 2.750 | 0.994 | 11.928 |
| 3.000 | 1.361 | 16.332 |
| 3.250 | 1.810 | 21.714 |
| 3.500 | 2.248 | 26.971 |
| 3.750 | 2.714 | 32.571 |
| 4.000 | 3.314 | 39.771 |
| 4.500 | 4.316 | 51.788 |
| 5.000 | 5.523 | 66.342 |
| 2.250 x 2.750 | 0.731 | 8.772 |
| 3.000 | 1.100 | 13.200 |
| 3.250 | 1.533 | 18.400 |
| 3.500 | 1.981 | 23.772 |
| 3.750 | 2.448 | 29.371 |
| 4.000 | 3.048 | 36.571 |

| Nominal Size I.D. x O.D. | Weight Per Inch | Weight Per Foot |
|-----------------------------|--------------------|--------------------|
| 2.500 x 3.000 | 0.804 | 9.648 |
| 3.250 | 1.238 | 14.857 |
| 3.500 | 1.676 | 20.114 |
| 3.750 | 2.152 | 25.829 |
| 4.000 | 2.752 | 33.029 |
| 4.500 | 3.768 | 45.221 |
| 5.000 | 4.981 | 59.774 |
| 2.750 x 3.250 | 0.905 | 10.857 |
| 3.500 | 1.349 | 16.114 |
| 3.750 | 1.819 | 21.829 |
| 4.000 | 2.419 | 29.029 |
| 4.500 | 3.448 | 41.370 |
| 3.000 x 3.500 | 0.981 | 11.771 |
| 3.750 | 1.448 | 17.371 |
| 4.000 | 2.057 | 24.686 |
| 4.500 | 3.095 | 37.141 |
| 5.000 | 4.308 | 51.695 |
| 3.250 x 3.750 | 1.048 | 12.571 |
| 4.000 | 1.666 | 20.000 |
| 4.500 | 2.711 | 32.534 |
| 5.000 | 3.924 | 47.088 |
| 3.500 x 4.000 | 1.238 | 14.857 |
| 4.500 | 2.296 | 27.550 |
| 5.000 | 3.509 | 42.103 |
| 3.750 x 4.500 | 1.849 | 22.187 |
| 5.000 | 3.062 | 36.740 |
| 4.000 x 4.500 | 1.371 | 16.447 |
| 5.000 | 2.583 | 31.000 |
| 4.250 x 5.000 | 2.073 | 24.881 |
| 4.500 x 5.000 | 1.532 | 18.384 |

Solids

| Size O.D. | Weight Per Inch | Weight Per Foot |
|--------------|--------------------|--------------------|
| 1.000 | 0.276 | 3.314 |
| 1.250 | 0.429 | 5.143 |
| 1.500 | 0.610 | 7.314 |
| 1.750 | 0.829 | 9.943 |
| 2.000 | 1.076 | 12.914 |

| Size O.D. | Weight Per Inch | Weight Per Foot |
|--------------|--------------------|--------------------|
| 2.250 | 1.352 | 16.229 |
| 2.500 | 1.667 | 20.000 |
| 2.750 | 2.010 | 24.114 |
| 3.000 | 2.390 | 28.686 |
| 3.500 | 3.156 | 37.871 |

| Size O.D. | Weight Per Inch | Weight Per Foot |
|--------------|--------------------|--------------------|
| 4.000 | 4.160 | 49.916 |
| 4.500 | 5.247 | 62.958 |
| 5.000 | 6.459 | 77.512 |

Continuous-Cast Alloy Stocked Size Schedules (continued)

C90300

ASTM B505 Solids

GreenAlloys™

✓ STANDARD-STOCKED PRODUCT

| Size O.D. | Weight Per Inch | Weight Per Foot |
|-----------|-----------------|-----------------|
| 1 | 0.278 | 3.333 |
| 1 1/2 | 0.597 | 7.167 |
| 2 | 1.049 | 12.583 |
| 2 1/2 | 1.646 | 19.750 |

| Size O.D. | Weight Per Inch | Weight Per Foot |
|-----------|-----------------|-----------------|
| 3 | 2.361 | 28.333 |
| 3 1/2 | 3.201 | 38.417 |
| 4 | 4.215 | 50.583 |
| 4 1/2 | 5.319 | 63.833 |

| Size O.D. | Weight Per Inch | Weight Per Foot |
|-----------|-----------------|-----------------|
| 5 | 6.549 | 78.583 |
| 5 1/2 | 7.813 | 93.750 |
| 6 | 9.493 | 113.917 |

Continuous-Cast Alloy Stocked Size Schedules (continued)

C93200

ASTM B505 Tubes

 **STANDARD-STOCKED PRODUCT**

| Nominal Size I.D. | x | O.D. | Weight Per Inch | Weight Per Foot |
|----------------------|---|-------|--------------------|--------------------|
| 1/2 | x | 1 | 0.224 | 2.692 |
| | | 1 1/8 | 0.291 | 3.589 |
| | | 1 1/4 | 0.383 | 4.598 |
| | | 1 3/8 | 0.458 | 5.495 |
| | | 1 1/2 | 0.561 | 6.729 |
| | | 1 3/4 | 0.766 | 9.196 |
| | | 2 | 1.019 | 12.224 |
| 5/8 | x | 1 | 0.187 | 2.243 |
| | | 1 1/8 | 0.262 | 3.140 |
| | | 1 1/4 | 0.346 | 4.150 |
| | | 1 3/8 | 0.439 | 5.271 |
| | | 1 1/2 | 0.533 | 6.393 |
| | | 1 3/4 | 0.738 | 8.860 |
| | | 2 | 0.981 | 11.776 |
| 3/4 | x | 1 | 0.140 | 1.682 |
| | | 1 1/8 | 0.215 | 2.579 |
| | | 1 1/4 | 0.308 | 3.701 |
| | | 1 3/8 | 0.393 | 4.710 |
| | | 1 1/2 | 0.495 | 5.944 |
| | | 1 5/8 | 0.579 | 6.953 |
| | | 1 3/4 | 0.701 | 8.411 |
| | | 2 | 0.944 | 11.327 |
| | | 2 1/4 | 1.215 | 14.579 |
| | | 2 1/2 | 1.523 | 18.280 |
| 7/8 | x | 1 1/8 | 0.168 | 2.019 |
| | | 1 1/4 | 0.262 | 3.140 |
| | | 1 3/8 | 0.336 | 4.037 |
| | | 1 1/2 | 0.449 | 5.383 |
| | | 1 5/8 | 0.551 | 6.617 |
| | | 1 3/4 | 0.645 | 7.738 |
| | | 1 7/8 | 0.776 | 9.308 |
| | | 2 | 0.897 | 10.766 |
| | | 2 1/4 | 1.168 | 14.019 |
| 1 | x | 1 1/4 | 0.187 | 2.243 |
| | | 1 3/8 | 0.290 | 3.477 |
| | | 1 1/2 | 0.393 | 4.710 |
| | | 1 5/8 | 0.495 | 5.944 |
| | | 1 3/4 | 0.607 | 7.290 |
| | | 1 7/8 | 0.720 | 8.636 |
| | | 2 | 0.850 | 10.206 |
| | | 2 1/4 | 1.112 | 13.346 |
| | | 2 3/8 | 1.262 | 15.140 |
| | | 2 1/2 | 1.421 | 17.047 |
| | | 2 3/4 | 1.757 | 21.084 |
| | | 3 | 2.131 | 25.570 |
| | | 3 1/4 | 2.523 | 30.280 |
| | | 3 1/2 | 2.963 | 35.551 |
| | | 4 | 4.000 | 48.000 |

| Nominal Size I.D. | x | O.D. | Weight Per Inch | Weight Per Foot |
|----------------------|---|-------|--------------------|--------------------|
| 1 1/8 | x | 1 3/8 | 0.206 | 2.467 |
| | | 1 1/2 | 0.308 | 3.701 |
| | | 1 5/8 | 0.411 | 4.935 |
| | | 1 3/4 | 0.533 | 6.393 |
| | | 2 | 0.785 | 9.421 |
| | | 2 1/8 | 0.907 | 10.879 |
| | | 2 1/4 | 1.056 | 12.673 |
| | | 2 1/2 | 1.336 | 16.037 |
| 1 1/4 | x | 1 1/2 | 0.234 | 2.804 |
| | | 1 5/8 | 0.336 | 4.037 |
| | | 1 3/4 | 0.467 | 5.607 |
| | | 1 7/8 | 0.589 | 7.065 |
| | | 2 | 0.710 | 8.523 |
| | | 2 1/8 | 0.841 | 10.093 |
| | | 2 1/4 | 0.981 | 11.776 |
| | | 2 1/2 | 1.290 | 15.477 |
| | | 2 3/4 | 1.626 | 19.514 |
| | | 3 | 2.000 | 24.000 |
| | | 3 1/4 | 2.411 | 28.935 |
| | | 3 1/2 | 2.832 | 33.981 |
| | | 4 | 3.869 | 46.430 |
| 1 3/8 | x | 1 5/8 | 0.271 | 3.252 |
| | | 1 3/4 | 0.364 | 4.374 |
| | | 1 7/8 | 0.486 | 5.832 |
| | | 2 | 0.636 | 7.626 |
| | | 2 1/8 | 0.766 | 9.196 |
| | | 2 1/4 | 0.907 | 10.879 |
| | | 2 3/8 | 1.065 | 12.785 |
| | | 2 1/2 | 1.206 | 14.467 |
| | | 2 5/8 | 1.383 | 16.598 |
| | | 3 | 1.879 | 22.542 |
| 1 1/2 | x | 1 3/4 | 0.280 | 3.364 |
| | | 1 7/8 | 0.393 | 4.710 |
| | | 2 | 0.551 | 6.617 |
| | | 2 1/8 | 0.673 | 8.075 |
| | | 2 1/4 | 0.822 | 9.869 |
| | | 2 3/8 | 0.981 | 11.776 |
| | | 2 1/2 | 1.131 | 13.570 |
| | | 2 3/4 | 1.458 | 17.495 |
| | | 3 | 1.841 | 22.093 |
| | | 3 1/4 | 2.252 | 27.028 |
| | | 3 1/2 | 2.664 | 31.963 |
| | | 3 3/4 | 3.150 | 37.794 |
| | | 4 | 3.710 | 44.523 |
| | | 4 1/2 | 4.776 | 57.308 |
| 1 5/8 | x | 2 | 0.430 | 5.159 |
| | | 2 1/8 | 0.579 | 6.953 |
| | | 2 1/4 | 0.729 | 8.748 |
| | | 2 3/8 | 0.879 | 10.542 |
| | | 2 1/2 | 1.028 | 12.336 |
| | | 2 5/8 | 1.196 | 14.355 |
| | | 2 3/4 | 1.355 | 16.262 |
| | | 3 | 1.748 | 20.972 |

| Nominal Size I.D. | x | O.D. | Weight Per Inch | Weight Per Foot |
|----------------------|---|-------|--------------------|--------------------|
| 1 3/4 | x | 2 | 0.327 | 3.925 |
| | | 2 1/8 | 0.477 | 5.720 |
| | | 2 1/4 | 0.626 | 7.514 |
| | | 2 3/8 | 0.776 | 9.308 |
| | | 2 1/2 | 0.935 | 11.215 |
| | | 2 5/8 | 1.084 | 13.009 |
| | | 2 3/4 | 1.262 | 15.140 |
| | | 3 | 1.645 | 19.738 |
| | | 3 1/4 | 2.056 | 24.673 |
| | | 3 1/2 | 2.486 | 29.832 |
| | | 3 3/4 | 2.879 | 34.542 |
| | | 4 | 3.533 | 42.393 |
| | | 4 1/4 | 4.019 | 48.224 |
| 1 7/8 | x | 2 1/4 | 0.514 | 6.168 |
| | | 2 3/8 | 0.673 | 8.075 |
| | | 2 1/2 | 0.822 | 9.869 |
| | | 2 5/8 | 0.972 | 11.664 |
| | | 2 3/4 | 1.159 | 13.907 |
| | | 3 | 1.495 | 17.944 |
| 2 | x | 2 1/4 | 0.355 | 4.262 |
| | | 2 3/8 | 0.551 | 6.617 |
| | | 2 1/2 | 0.710 | 8.523 |
| | | 2 5/8 | 0.869 | 10.430 |
| | | 2 3/4 | 1.037 | 12.449 |
| | | 2 7/8 | 1.215 | 14.579 |
| | | 3 | 1.430 | 17.159 |
| | | 3 1/4 | 1.832 | 21.981 |
| | | 3 1/2 | 2.252 | 27.028 |
| | | 3 3/4 | 2.738 | 32.442 |
| | | 4 | 3.308 | 39.701 |
| | | 4 1/2 | 4.364 | 52.374 |
| | | 5 | 5.533 | 66.393 |
| | | 5 1/2 | 7.009 | 84.112 |
| | | 6 | 8.467 | 101.607 |
| 2 1/8 | x | 2 5/8 | 0.738 | 8.860 |
| | | 2 3/4 | 0.879 | 10.542 |
| | | 2 7/8 | 1.093 | 13.121 |
| | | 3 | 1.299 | 15.589 |
| | | 3 1/2 | 2.121 | 25.458 |
| 2 1/4 | x | 2 3/4 | 0.785 | 9.421 |
| | | 2 7/8 | 0.953 | 11.439 |
| | | 3 | 1.150 | 13.794 |
| | | 3 1/8 | 1.327 | 15.925 |
| | | 3 1/4 | 1.570 | 18.841 |
| | | 3 1/2 | 2.000 | 24.000 |
| | | 3 3/4 | 2.467 | 29.607 |
| | | 4 | 3.056 | 36.673 |
| | | 4 1/4 | 3.533 | 42.393 |

Continuous-Cast Alloy Stocked Size Schedules (continued)

C93200 (continued)

ASTM B505 Tubes



| Nominal Size I.D. | x | O.D. | Weight Per Inch | Weight Per Foot |
|-------------------|---|-------|-----------------|-----------------|
| 2 3/8 | x | 2 3/4 | 0.589 | 7.065 |
| | | 2 7/8 | 0.813 | 9.757 |
| | | 3 | 1.009 | 12.112 |
| | | 3 1/4 | 1.355 | 16.262 |
| | | 3 1/2 | 1.785 | 21.421 |
| | | 4 | 2.841 | 34.093 |
| 2 1/2 | x | 2 3/4 | 0.439 | 5.271 |
| | | 3 | 0.869 | 10.430 |
| | | 3 1/8 | 1.065 | 12.785 |
| | | 3 1/4 | 1.280 | 15.364 |
| | | 3 1/2 | 1.720 | 20.636 |
| | | 3 3/4 | 2.187 | 26.243 |
| | | 4 | 2.776 | 33.308 |
| | | 4 1/4 | 3.318 | 39.813 |
| | | 4 1/2 | 3.804 | 45.645 |
| | | 4 3/4 | 4.355 | 52.262 |
| | | 5 | 5.019 | 60.224 |
| | | 5 1/2 | 6.467 | 77.607 |
| | | 6 | 7.953 | 95.439 |
| 2 5/8 | x | 3 1/2 | 1.542 | 18.505 |
| 2 3/4 | x | 3 1/4 | 0.944 | 11.327 |
| | | 3 1/2 | 1.364 | 16.374 |
| | | 3 3/4 | 1.850 | 22.206 |
| | | 4 | 2.449 | 29.383 |
| | | 4 1/4 | 3.000 | 36.000 |
| | | 4 1/2 | 3.495 | 41.944 |
| | | 4 3/4 | 4.056 | 48.673 |
| | | 5 3/4 | 6.981 | 83.776 |
| 2 7/8 | x | 4 | 2.299 | 27.589 |
| 3 | x | 3 1/2 | 0.963 | 11.551 |
| | | 3 3/4 | 1.495 | 17.944 |
| | | 4 | 2.112 | 25.346 |
| | | 4 1/4 | 2.664 | 31.963 |
| | | 4 1/2 | 3.140 | 38.00 |
| | | 4 3/4 | 3.738 | 44.860 |
| | | 5 | 4.346 | 52.150 |
| | | 5 1/2 | 5.869 | 70.430 |
| | | 6 | 7.280 | 87.364 |
| | | 6 1/2 | 8.888 | 106.654 |
| | | 7 | 10.607 | 127.290 |
| | | 8 | 14.402 | 172.822 |
| 3 1/4 | x | 3 3/4 | 1.037 | 12.449 |
| | | 4 | 1.710 | 20.523 |
| | | 4 1/4 | 2.271 | 27.252 |
| | | 4 1/2 | 2.720 | 32.636 |
| | | 4 3/4 | 3.318 | 39.813 |
| | | 5 | 3.925 | 47.103 |
| | | 5 1/2 | 5.439 | 65.271 |

| Nominal Size I.D. | x | O.D. | Weight Per Inch | Weight Per Foot |
|-------------------|---|-------|-----------------|-----------------|
| 3 1/2 | x | 4 | 1.234 | 14.804 |
| | | 4 1/4 | 1.804 | 21.645 |
| | | 4 1/2 | 2.346 | 28.150 |
| | | 4 3/4 | 2.897 | 34.766 |
| | | 5 | 3.523 | 42.280 |
| | | 5 1/4 | 4.336 | 52.037 |
| | | 5 1/2 | 5.065 | 60.785 |
| | | 6 | 6.495 | 77.944 |
| | | 6 1/2 | 8.093 | 97.121 |
| 3 3/4 | x | 4 1/2 | 1.916 | 22.991 |
| | | 4 3/4 | 2.449 | 29.383 |
| | | 5 | 3.065 | 36.785 |
| | | 5 1/2 | 4.636 | 55.626 |
| | | 6 | 6.056 | 72.673 |
| 4 | x | 4 1/2 | 1.393 | 16.710 |
| | | 4 3/4 | 1.972 | 23.664 |
| | | 5 | 2.598 | 31.178 |
| | | 5 1/4 | 3.430 | 41.159 |
| | | 5 1/2 | 4.121 | 49.458 |
| | | 6 | 5.589 | 67.065 |
| | | 6 1/2 | 7.178 | 86.131 |
| | | 7 | 8.907 | 106.879 |
| | | 7 1/2 | 10.748 | 128.972 |
| | | 8 | 12.710 | 152.523 |
| | | 9 | 17.000 | 204.000 |
| 4 1/4 | x | 4 3/4 | 1.467 | 17.607 |
| | | 5 | 2.084 | 25.009 |
| | | 5 1/4 | 2.935 | 35.215 |
| | | 5 1/2 | 3.617 | 43.402 |
| | | 6 | 5.093 | 61.121 |
| | | 6 1/2 | 6.673 | 80.075 |
| 4 1/2 | x | 5 | 1.650 | 19.800 |
| | | 5 1/4 | 2.346 | 28.150 |
| | | 5 1/2 | 3.103 | 37.234 |
| | | 6 | 4.551 | 54.617 |
| | | 6 1/2 | 6.159 | 73.907 |
| | | 7 | 7.860 | 94.318 |
| 4 3/4 | x | 5 1/4 | 1.822 | 21.869 |
| | | 5 1/2 | 2.523 | 30.280 |
| | | 5 3/4 | 3.234 | 38.804 |
| | | 6 | 3.972 | 47.664 |
| | | 6 1/2 | 5.579 | 66.953 |
| 5 | x | 5 1/2 | 1.925 | 23.103 |
| | | 5 3/4 | 2.636 | 31.626 |
| | | 6 | 3.393 | 40.710 |
| | | 6 1/2 | 5.000 | 60.000 |
| | | 7 | 6.710 | 80.523 |
| | | 7 1/2 | 8.561 | 102.729 |
| | | 8 | 10.505 | 126.056 |
| | | 9 | 14.813 | 177.757 |
| | | 10 | 20.056 | 240.673 |
| | | 11 | 26.067 | 312.800 |

| Nominal Size I.D. | x | O.D. | Weight Per Inch | Weight Per Foot |
|-------------------|---|--------|-----------------|-----------------|
| 5 1/4 | x | 7 | 6.084 | 73.009 |
| 5 1/2 | x | 6 | 2.103 | 25.234 |
| | | 6 1/2 | 3.692 | 44.299 |
| | | 7 | 5.421 | 65.047 |
| | | 7 1/2 | 7.262 | 87.140 |
| | | 8 | 9.224 | 110.692 |
| 5 3/4 | x | 6 3/4 | 3.832 | 45.981 |
| | | 7 1/4 | 5.636 | 67.626 |
| | | 7 1/2 | 6.561 | 78.729 |
| | | 8 1/2 | 10.654 | 127.850 |
| 6 | x | 6 1/2 | 2.252 | 27.028 |
| | | 6 3/4 | 3.121 | 37.458 |
| | | 7 | 3.991 | 47.888 |
| | | 7 1/4 | 4.907 | 58.879 |
| | | 7 1/2 | 5.832 | 69.981 |
| | | 8 | 7.804 | 93.645 |
| | | 8 1/2 | 9.916 | 118.991 |
| | | 9 | 12.112 | 145.346 |
| | | 10 | 17.103 | 205.234 |
| | | 11 | 22.421 | 269.047 |
| | | 12 | 28.271 | 339.252 |
| 6 1/2 | x | 7 1/4 | 3.374 | 40.486 |
| | | 7 1/2 | 4.299 | 51.589 |
| | | 8 | 6.262 | 75.140 |
| | | 8 1/2 | 8.374 | 100.486 |
| | | 9 | 10.589 | 127.065 |
| | | 9 1/2 | 13.093 | 157.121 |
| 7 | x | 7 3/4 | 3.589 | 43.065 |
| | | 8 | 4.598 | 55.178 |
| | | 8 1/2 | 6.692 | 80.299 |
| | | 9 | 8.916 | 106.991 |
| | | 9 1/2 | 11.421 | 137.047 |
| | | 10 | 13.897 | 166.766 |
| | | 11 | 19.271 | 231.252 |
| | | 12 | 25.168 | 302.019 |
| 7 1/2 | x | 8 1/2 | 4.916 | 58.991 |
| | | 9 | 7.112 | 85.346 |
| | | 9 1/2 | 9.617 | 115.402 |
| | | 10 | 12.019 | 144.224 |
| | | 10 1/2 | 14.757 | 177.084 |
| 8 | x | 9 | 5.308 | 63.701 |
| | | 9 1/4 | 6.505 | 78.056 |
| | | 9 1/2 | 7.729 | 92.748 |
| | | 10 | 10.196 | 122.355 |
| | | 10 1/2 | 12.841 | 154.093 |
| | | 11 | 15.561 | 186.729 |
| | | 12 | 21.421 | 257.047 |
| | | 13 | 28.383 | 340.598 |

Continuous-Cast Alloy Stocked Size Schedules (continued)

C93200 (continued)

ASTM B505 Tubes



| Nominal Size I.D. | x | O.D. | Weight Per Inch | Weight Per Foot |
|-------------------|---|--------|-----------------|-----------------|
| 8 1/2 | x | 9 1/2 | 5.869 | 70.430 |
| | | 10 | 8.159 | 97.907 |
| | | 10 1/2 | 10.738 | 128.860 |
| | | 11 1/2 | 16.748 | 200.972 |
| 9 | x | 10 | 6.159 | 73.907 |
| | | 10 1/4 | 8.589 | 103.065 |
| | | 10 1/2 | 8.673 | 104.075 |
| | | 11 | 11.327 | 135.925 |
| | | 11 1/2 | 14.224 | 170.692 |
| | | 12 | 17.290 | 207.477 |
| 9 1/2 | x | 10 1/2 | 6.477 | 77.720 |
| | | 11 | 9.075 | 108.897 |
| | | 11 1/2 | 11.850 | 142.206 |
| | | 12 1/2 | 18.355 | 220.262 |

| Nominal Size I.D. | x | O.D. | Weight Per Inch | Weight Per Foot |
|-------------------|---|--------|-----------------|-----------------|
| 10 | x | 11 | 6.794 | 81.533 |
| | | 11 1/2 | 9.533 | 114.393 |
| | | 12 | 12.551 | 150.617 |
| | | 13 | 19.159 | 229.907 |
| | | 14 | 26.019 | 312.224 |
| | | 16 | 42.848 | 514.171 |
| 10 1/2 | x | 11 1/2 | 7.065 | 84.785 |
| | | 12 | 9.925 | 119.103 |
| | | 12 1/2 | 13.364 | 160.374 |
| | | 13 | 16.701 | 200.411 |
| 11 | x | 12 | 7.486 | 89.832 |
| | | 12 1/2 | 10.879 | 130.542 |
| | | 13 | 13.953 | 167.439 |
| | | 14 | 20.841 | 250.093 |

| Nominal Size I.D. | x | O.D. | Weight Per Inch | Weight Per Foot |
|-------------------|---|--------|-----------------|-----------------|
| 11 1/2 | x | 13 | 11.140 | 133.682 |
| | | 13 1/2 | 14.542 | 174.505 |
| | | 14 1/2 | 21.570 | 258.841 |
| 12 | x | 13 1/2 | 11.813 | 141.757 |
| | | 14 | 15.131 | 181.570 |
| | | 15 | 22.477 | 269.720 |
| | | 16 | 31.686 | 380.229 |
| 12 1/2 | x | 14 | 12.320 | 147.840 |
| 13 1/2 | x | 15 1/2 | 16.907 | 202.879 |
| 14 | x | 15 1/2 | 13.430 | 161.159 |
| | | 16 | 17.692 | 212.299 |

ASTM B505 Solids

| Size O.D. | Weight Per Inch | Weight Per Foot |
|-----------|-----------------|-----------------|
| 3/8 | 0.043 | 0.516 |
| 1/2 | 0.075 | 0.897 |
| 5/8 | 0.112 | 1.346 |
| 3/4 | 0.159 | 1.907 |
| 7/8 | 0.215 | 2.579 |
| 1 | 0.271 | 3.252 |
| 1 1/8 | 0.346 | 4.150 |
| 1 1/4 | 0.421 | 5.047 |
| 1 3/8 | 0.579 | 6.953 |
| 1 1/2 | 0.607 | 7.290 |
| 1 5/8 | 0.701 | 8.411 |
| 1 3/4 | 0.813 | 9.757 |
| 1 7/8 | 0.925 | 11.103 |
| 2 | 1.056 | 12.673 |

| Size O.D. | Weight Per Inch | Weight Per Foot |
|-----------|-----------------|-----------------|
| 2 1/8 | 1.187 | 14.243 |
| 2 1/4 | 1.327 | 15.925 |
| 2 3/8 | 1.477 | 17.720 |
| 2 1/2 | 1.636 | 19.626 |
| 2 5/8 | 1.794 | 21.533 |
| 2 3/4 | 1.972 | 23.664 |
| 2 7/8 | 2.150 | 25.794 |
| 3 | 2.346 | 28.150 |
| 3 1/4 | 2.738 | 32.860 |
| 3 1/2 | 3.168 | 38.019 |
| 3 3/4 | 3.636 | 43.626 |
| 4 | 4.178 | 50.131 |
| 4 1/4 | 4.710 | 56.523 |
| 4 1/2 | 5.271 | 63.252 |

| Size O.D. | Weight Per Inch | Weight Per Foot |
|-----------|-----------------|-----------------|
| 4 3/4 | 5.841 | 70.093 |
| 5 | 6.439 | 77.271 |
| 5 1/4 | 7.206 | 86.467 |
| 5 1/2 | 7.916 | 94.991 |
| 6 | 9.336 | 112.037 |
| 6 1/2 | 10.907 | 130.879 |
| 7 | 12.636 | 151.626 |
| 7 1/2 | 14.486 | 173.832 |
| 8 | 16.411 | 196.935 |
| 9 | 20.673 | 248.075 |
| 10 | 25.607 | 307.290 |
| 11 | 30.822 | 369.869 |
| 12 | 35.701 | 428.411 |
| 13 | 43.215 | 518.579 |

Continuous-Cast Alloy Stocked Size Schedules (continued)

C93200 (continued)

ASTM B505 Rectangles and Squares



| Nominal Size | | | Weight | Weight |
|--------------|-------|--------|----------|----------|
| Thickness | x | Width | Per Inch | Per Foot |
| 1/4 | x | 4 | 0.466 | 5.589 |
| | | 8 | 0.986 | 11.836 |
| | | 12 | 1.445 | 17.342 |
| 3/8 | x | 4 | 0.630 | 7.562 |
| | | 8 | 1.308 | 15.669 |
| | | 12 | 1.932 | 23.178 |
| 1/2 | x | 1 | 0.226 | 2.712 |
| | | 2 | 0.432 | 5.178 |
| | | 3 | 0.637 | 7.644 |
| | | 4 | 0.788 | 9.452 |
| | | 5 | 1.048 | 12.575 |
| | | 6 | 1.274 | 15.288 |
| | | 7 | 1.452 | 17.425 |
| | | 8 | 1.623 | 19.479 |
| | | 9 | 1.863 | 22.356 |
| | | 10 | 2.048 | 24.575 |
| | | 12 | 2.507 | 30.082 |
| | | 14 | 2.856 | 34.274 |
| 15 | 2.993 | 35.918 | | |
| 5/8 | x | 1 | 0.281 | 3.370 |
| | | 2 | 0.521 | 6.247 |
| | | 3 | 0.767 | 9.205 |
| | | 4 | 0.966 | 11.589 |
| | | 5 | 1.260 | 15.123 |
| | | 6 | 1.507 | 18.082 |
| | | 7 | 1.753 | 21.041 |
| | | 8 | 1.932 | 23.178 |
| | | 9 | 2.247 | 26.959 |
| | | 10 | 2.493 | 29.918 |
| | | 12 | 2.986 | 35.836 |
| | | 14 | 3.479 | 41.753 |
| 15 | 3.603 | 43.233 | | |

| Nominal Size | | | Weight | Weight |
|--------------|-------|--------|----------|----------|
| Thickness | x | Width | Per Inch | Per Foot |
| 3/4 | x | 1 | 0.322 | 3.863 |
| | | 2 | 0.610 | 7.315 |
| | | 3 | 0.897 | 10.767 |
| | | 4 | 1.123 | 13.479 |
| | | 5 | 1.466 | 17.589 |
| | | 6 | 1.726 | 20.712 |
| | | 7 | 2.034 | 24.411 |
| | | 8 | 2.281 | 27.370 |
| | | 9 | 2.610 | 31.315 |
| | | 10 | 2.849 | 34.192 |
| | | 12 | 3.377 | 40.521 |
| | | 14 | 4.034 | 48.411 |
| 16 | 4.562 | 54.740 | | |
| 18 | 4.979 | 59.753 | | |
| 1 | x | 1 | 0.418 | 5.014 |
| | | 2 | 0.712 | 8.548 |
| | | 3 | 1.048 | 12.575 |
| | | 4 | 1.466 | 17.589 |
| | | 5 | 1.884 | 22.603 |
| | | 6 | 2.253 | 27.041 |
| | | 7 | 2.616 | 31.397 |
| | | 8 | 2.932 | 35.178 |
| | | 9 | 3.349 | 40.192 |
| | | 10 | 3.658 | 43.890 |
| | | 11 | 4.089 | 49.068 |
| | | 12 | 4.267 | 51.205 |
| 13 | 4.822 | 57.863 | | |
| 14 | 5.185 | 62.219 | | |
| 15 | 5.555 | 66.658 | | |
| 16 | 5.918 | 71.014 | | |
| 18 | 6.658 | 79.890 | | |
| 20 | 7.185 | 86.219 | | |
| 1 1/4 | x | 1 | 0.507 | 6.082 |
| | | 2 | 0.959 | 11.507 |
| | | 3 | 1.411 | 16.932 |
| | | 4 | 1.788 | 21.452 |
| | | 5 | 2.315 | 27.781 |
| | | 6 | 2.767 | 33.205 |
| | | 7 | 3.219 | 38.630 |
| | | 8 | 3.596 | 43.151 |
| | | 9 | 4.123 | 49.479 |
| | | 10 | 4.575 | 54.904 |
| | | 11 | 5.027 | 60.329 |
| | | 12 | 5.390 | 64.685 |
| 13 | 5.925 | 71.096 | | |
| 14 | 6.377 | 76.521 | | |
| 15 | 6.671 | 80.055 | | |

| Nominal Size | | | Weight | Weight |
|--------------|-------|-------|----------|----------|
| Thickness | x | Width | Per Inch | Per Foot |
| 1 1/2 | x | 2 | 1.021 | 12.247 |
| | | 3 | 1.514 | 18.164 |
| | | 4 | 2.123 | 25.479 |
| | | 5 | 2.575 | 30.904 |
| | | 6 | 3.158 | 37.890 |
| | | 7 | 3.671 | 44.055 |
| | | 8 | 4.240 | 50.877 |
| | | 9 | 4.705 | 56.466 |
| | | 10 | 5.219 | 62.630 |
| | | 11 | 5.740 | 68.877 |
| | | 12 | 6.411 | 76.932 |
| | | 1 3/4 | x | 4 |
| 8 | 4.918 | | | 59.014 |
| 12 | 7.253 | | | 87.041 |
| 2 | x | 4 | 2.781 | 33.370 |
| | | 8 | 5.562 | 66.740 |
| | | 11 | 7.562 | 90.740 |
| | | 12 | 8.322 | 99.863 |
| 3 | x | 11 | 11.096 | 133.151 |
| | | 11 | 14.651 | 175.808 |
| 4 | x | 4 | 5.384 | 64.603 |
| | | 11 | 14.651 | 175.808 |
| 6 | x | 10 | 19.836 | 238.027 |
| | | 10 | 19.836 | 238.027 |
| 6 1/4 | x | 6 1/4 | 13.062 | 156.740 |
| | | 6 1/4 | 13.062 | 156.740 |
| 8 | x | 8 | 21.137 | 253.644 |
| | | 8 | 21.137 | 253.644 |

Continuous-Cast Alloy Stocked Size Schedules (continued)

C95400 ASTM B505 Tubes

GreenAlloys™

✓ STANDARD-STOCKED PRODUCT

| Nominal Size I.D. | x | O.D. | Weight Per Inch | Weight Per Foot |
|----------------------|---|-------|--------------------|--------------------|
| 3/4 | x | 1 1/4 | 0.278 | 3.333 |
| | | 1 1/2 | 0.431 | 5.167 |
| | | 1 3/4 | 0.611 | 7.333 |
| | | 2 | 0.819 | 9.833 |
| 7/8 | x | 1 1/4 | 0.243 | 2.917 |
| 1 | x | 1 3/8 | 0.271 | 3.250 |
| | | 1 1/2 | 0.347 | 4.167 |
| | | 1 3/4 | 0.528 | 6.333 |
| | | 2 | 0.736 | 8.833 |
| | | 2 1/4 | 0.972 | 11.667 |
| | | 2 1/2 | 1.236 | 14.833 |
| | | 3 | 1.840 | 22.083 |
| | | 3 1/2 | 2.618 | 31.417 |
| | | 4 | 3.438 | 41.250 |
| 1 1/4 | x | 1 3/4 | 0.417 | 5.000 |
| | | 2 | 0.625 | 7.500 |
| | | 2 1/4 | 0.861 | 10.333 |
| | | 2 1/2 | 1.118 | 13.417 |
| | | 2 3/4 | 1.396 | 16.750 |
| | | 3 | 1.729 | 20.750 |
| | | 3 1/2 | 2.514 | 30.167 |
| 1 1/2 | x | 1 7/8 | 0.382 | 4.583 |
| | | 2 | 0.486 | 5.833 |
| | | 2 1/4 | 0.722 | 8.667 |
| | | 2 1/2 | 0.986 | 11.833 |
| | | 2 3/4 | 1.278 | 15.333 |
| | | 3 | 1.590 | 19.083 |
| | | 3 1/2 | 2.389 | 28.667 |
| | | 4 | 3.201 | 38.417 |
| | | 4 1/2 | 4.132 | 49.583 |
| 1 3/4 | x | 2 1/8 | 0.438 | 5.250 |
| | | 2 1/4 | 0.556 | 6.667 |
| | | 2 1/2 | 0.806 | 9.667 |
| | | 2 3/4 | 1.111 | 13.333 |
| | | 3 | 1.431 | 17.167 |
| | | 3 1/4 | 1.854 | 22.250 |
| | | 3 1/2 | 2.257 | 27.08 |
| | | 3 3/4 | 2.611 | 31.333 |
| | | 4 | 2.965 | 35.583 |
| 2 | x | 2 3/8 | 0.493 | 5.917 |
| | | 2 1/2 | 0.625 | 7.500 |
| | | 2 3/4 | 0.910 | 10.917 |
| | | 3 | 1.243 | 14.917 |
| | | 3 1/4 | 1.681 | 20.167 |
| | | 3 1/2 | 2.042 | 24.500 |
| | | 3 3/4 | 2.438 | 29.250 |
| | | 4 | 2.861 | 34.333 |
| | | 4 1/2 | 3.799 | 45.583 |
| | | 5 | 4.917 | 59.000 |
| | | 6 | 7.507 | 90.083 |

| Nominal Size I.D. | x | O.D. | Weight Per Inch | Weight Per Foot |
|----------------------|---|-------|--------------------|--------------------|
| 2 1/4 | x | 2 5/8 | 0.549 | 6.583 |
| | | 2 3/4 | 0.694 | 8.333 |
| | | 3 | 1.007 | 12.083 |
| | | 3 1/4 | 1.458 | 17.500 |
| | | 3 1/2 | 1.826 | 21.917 |
| | | 3 3/4 | 2.243 | 26.917 |
| | | 4 | 2.674 | 32.083 |
| 2 1/2 | x | 3 | 0.771 | 9.250 |
| | | 3 1/4 | 1.208 | 14.500 |
| | | 3 1/2 | 1.590 | 19.083 |
| | | 3 3/4 | 1.986 | 23.833 |
| | | 4 | 2.417 | 29.000 |
| | | 4 1/2 | 3.333 | 40.000 |
| | | 5 | 4.472 | 53.667 |
| | | 6 | 7.076 | 84.917 |
| 2 3/4 | x | 3 1/4 | 0.951 | 11.417 |
| | | 3 1/2 | 1.306 | 15.667 |
| | | 3 3/4 | 1.729 | 20.750 |
| | | 4 | 2.146 | 25.750 |
| | | 4 1/4 | 2.590 | 31.083 |
| | | 4 1/2 | 3.042 | 36.500 |
| 3 | x | 3 1/2 | 1.021 | 12.250 |
| | | 3 3/4 | 1.431 | 17.167 |
| | | 4 | 1.854 | 22.250 |
| | | 4 1/4 | 2.299 | 27.583 |
| | | 4 1/2 | 2.785 | 33.417 |
| | | 5 | 3.924 | 47.083 |
| | | 5 1/2 | 5.090 | 61.083 |
| | | 6 | 6.549 | 78.583 |
| | | 7 | 9.396 | 112.750 |
| 3 1/4 | x | 3 3/4 | 1.111 | 13.333 |
| | | 4 | 1.535 | 18.417 |
| | | 4 1/2 | 2.451 | 29.417 |
| | | 5 | 3.611 | 43.333 |
| 3 1/2 | x | 4 | 1.208 | 14.500 |
| | | 4 1/4 | 1.653 | 19.833 |
| | | 4 1/2 | 2.125 | 25.500 |
| | | 5 | 3.264 | 39.167 |
| | | 5 1/2 | 4.417 | 53.000 |
| | | 6 | 5.882 | 70.583 |
| 3 3/4 | x | 4 3/4 | 2.313 | 27.750 |

| Nominal Size I.D. | x | O.D. | Weight Per Inch | Weight Per Foot |
|----------------------|---|--------|--------------------|--------------------|
| 4 | x | 4 1/2 | 1.361 | 16.333 |
| | | 4 3/4 | 1.972 | 23.667 |
| | | 5 | 2.528 | 30.333 |
| | | 5 1/2 | 3.667 | 44.000 |
| | | 6 | 5.139 | 61.667 |
| | | 7 | 7.993 | 95.917 |
| | | 8 | 11.222 | 134.667 |
| 4 1/4 | x | 5 | 2.104 | 25.250 |
| 4 1/2 | x | 5 | 1.708 | 20.500 |
| | | 5 1/4 | 2.181 | 26.167 |
| | | 5 1/2 | 2.819 | 33.833 |
| | | 6 | 4.301 | 51.667 |
| | | 6 1/2 | 5.639 | 67.667 |
| | | 7 1/2 | 8.729 | 104.750 |
| 5 | x | 5 1/2 | 1.840 | 22.083 |
| | | 5 3/4 | 2.660 | 31.917 |
| | | 6 | 3.361 | 40.333 |
| | | 6 1/2 | 4.722 | 56.667 |
| | | 7 | 6.201 | 74.417 |
| | | 8 | 9.431 | 113.167 |
| 5 1/2 | x | 6 1/2 | 3.639 | 43.667 |
| 6 | x | 7 | 3.9861 | 47.833 |
| | x | 8 | 7.236 | 86.833 |
| | | 9 | 10.868 | 130.417 |
| 6 1/2 | x | 7 1/2 | 4.271 | 51.250 |
| 7 | x | 8 | 4.556 | 54.667 |
| | x | 9 | 8.257 | 99.083 |
| | x | 10 | 12.070 | 144.840 |
| 8 | x | 10 | 8.980 | 107.760 |
| | x | 11 | 13.490 | 161.880 |
| | x | 12 | 18.430 | 221.160 |
| 8 1/2 | x | 10 1/2 | 9.196 | 110.352 |
| 9 | x | 11 | 9.980 | 119.760 |
| 9 | x | 12 | 14.910 | 178.920 |
| 10 | x | 12 | 10.970 | 131.640 |

*Available in 13" minimum lengths and 1" increments above 13".

Continuous-Cast Alloy Stocked Size Schedules (continued)

C95400 (continued)

GreenAlloys™

ASTM B505 Rectangles and Squares

✓ STANDARD-STOCKED PRODUCT

| Nominal Size Thickness | x | Width | Weight Per Inch | Weight Per Foot |
|---------------------------|---|-------|--------------------|--------------------|
| 1/4 | x | 1 | 0.103 | 1.233 |
| | | 1 1/2 | 0.144 | 1.726 |
| | | 2 | 0.192 | 2.301 |
| | | 2 1/2 | 0.240 | 2.877 |
| | | 3 | 0.281 | 3.370 |
| | | 4 | 0.377 | 4.521 |
| | | 5 | 0.459 | 5.507 |
| | | 6 | 0.596 | 7.151 |
| | | 12 | 1.130 | 13.562 |
| 3/8 | x | 1 | 0.137 | 1.644 |
| | | 1 1/2 | 0.199 | 2.384 |
| | | 2 | 0.260 | 3.123 |
| | | 2 1/2 | 0.322 | 3.863 |
| | | 3 | 0.384 | 4.603 |
| | | 3 1/2 | 0.452 | 5.425 |
| | | 4 | 0.507 | 6.082 |
| | | 5 | 0.630 | 7.562 |
| | | 6 | 0.795 | 9.534 |
| | | 8 | 1.041 | 12.493 |
| | | 12 | 1.521 | 18.247 |
| 1/2 | x | 1/2 | 0.089 | 1.068 |
| | | 1 | 0.171 | 2.055 |
| | | 1 1/4 | 0.212 | 2.548 |
| | | 1 1/2 | 0.253 | 3.041 |
| | | 2 | 0.329 | 3.945 |
| | | 2 1/2 | 0.411 | 4.932 |
| | | 3 | 0.486 | 5.836 |
| | | 3 1/2 | 0.568 | 6.822 |
| | | 4 | 0.644 | 7.726 |
| | | 5 | 0.801 | 9.616 |
| | | 6 | 0.993 | 11.918 |
| | | 8 | 1.315 | 15.781 |
| | | 10 | 1.630 | 19.562 |
| | | 12 | 1.938 | 23.260 |
| 5/8 | x | 1 | 0.205 | 2.466 |
| | | 1 1/2 | 0.301 | 3.616 |
| | | 2 | 0.397 | 4.767 |
| | | 2 1/2 | 0.493 | 5.918 |
| | | 3 | 0.589 | 7.068 |
| | | 4 | 0.781 | 9.370 |
| | | 5 | 0.973 | 11.671 |
| | | 6 | 1.199 | 14.384 |
| | | 8 | 1.562 | 18.740 |

| Nominal Size Thickness | x | Width | Weight Per Inch | Weight Per Foot |
|---------------------------|---|-------|--------------------|--------------------|
| 3/4 | x | 3/4 | 0.192 | 2.301 |
| | | 1 | 0.247 | 2.959 |
| | | 1 1/2 | 0.356 | 4.274 |
| | | 2 | 0.466 | 5.589 |
| | | 2 1/2 | 0.582 | 6.986 |
| | | 3 | 0.692 | 8.301 |
| | | 3 1/2 | 0.801 | 9.616 |
| | | 4 | 0.918 | 11.014 |
| | | 5 | 1.144 | 13.726 |
| | | 6 | 1.404 | 16.849 |
| | | 8 | 1.836 | 22.027 |
| | | 12 | 2.678 | 32.137 |
| 1 | x | 1 | 0.315 | 3.781 |
| | | 1 1/4 | 0.390 | 4.685 |
| | | 1 1/2 | 0.459 | 5.507 |
| | | 1 3/4 | 0.534 | 6.411 |
| | | 2 | 0.610 | 7.315 |
| | | 2 1/2 | 0.753 | 9.041 |
| | | 3 | 0.897 | 10.767 |
| | | 3 1/2 | 1.041 | 12.493 |
| | | 4 | 1.192 | 14.301 |
| | | 5 | 1.479 | 17.753 |
| | | 6 | 1.801 | 21.616 |
| | | 7 | 2.068 | 24.822 |
| | | 8 | 2.370 | 28.438 |
| | | 12 | 3.493 | 41.918 |
| | | 15 | 4.925 | 59.096 |
| 1 1/4 | x | 1 1/4 | 0.473 | 5.671 |
| | | 1 1/2 | 0.568 | 6.822 |
| | | 1 3/4 | 0.658 | 7.890 |
| | | 2 | 0.747 | 8.959 |
| | | 2 1/2 | 0.925 | 11.096 |
| | | 3 | 1.103 | 13.233 |
| | | 3 1/2 | 1.281 | 15.370 |
| | | 4 | 1.466 | 17.589 |
| | | 5 | 1.808 | 21.699 |
| | | 10 | 3.637 | 43.644 |
| 1 1/2 | x | 1 1/2 | 0.671 | 8.055 |
| | | 1 3/4 | 0.774 | 9.288 |
| | | 2 | 0.890 | 10.685 |
| | | 2 1/2 | 1.103 | 13.233 |
| | | 3 | 1.308 | 15.699 |
| | | 3 1/2 | 1.527 | 18.329 |
| | | 4 | 1.740 | 20.877 |
| | | 5 | 2.144 | 25.726 |
| | | 6 | 2.651 | 31.808 |
| | | 12 | 5.130 | 61.562 |
| | | 15 | 6.911 | 82.932 |

| Nominal Size Thickness | x | Width | Weight Per Inch | Weight Per Foot |
|---------------------------|---|-------|--------------------|--------------------|
| 1 3/4 | x | 2 | 1.027 | 12.329 |
| | | 2 1/2 | 1.274 | 15.288 |
| | | 3 | 1.514 | 18.164 |
| | | 4 | 2.014 | 24.164 |
| | | 5 | 2.507 | 30.082 |
| | | 10 | 5.007 | 60.082 |
| 2 | x | 2 | 1.171 | 14.055 |
| | | 2 1/2 | 1.445 | 17.342 |
| | | 3 | 1.726 | 20.712 |
| | | 3 1/2 | 2.000 | 24.000 |
| | | 4 | 2.295 | 27.534 |
| | | 6 | 3.459 | 41.507 |
| | | 12 | 6.870 | 82.438 |
| | | 15 | 8.918 | 107.014 |
| 2 1/2 | x | 2 1/2 | 1.795 | 21.534 |
| | | 3 | 2.137 | 25.644 |
| | | 4 | 2.836 | 34.027 |
| | | 5 | 3.527 | 42.329 |
| | | 6 | 4.240 | 50.877 |
| | | 12 | 8.445 | 101.342 |
| | | 15 | 11.075 | 132.904 |
| 3 | x | 3 | 2.541 | 30.493 |
| | | 4 | 3.384 | 40.603 |
| | | 6 | 5.089 | 61.068 |
| | | 15 | 13.123 | 157.479 |
| 3 1/2 | x | 15 | 15.151 | 181.808 |
| 4 | x | 4 | 4.466 | 53.589 |
| | | 15 | 17.226 | 206.712 |
| 6 | x | 6 | 9.986 | 119.836 |

Continuous-Cast Alloy Stocked Size Schedules (continued)

C95500 ASTM B505 Solids

GreenAlloys™

✓ STANDARD-STOCKED PRODUCT

| Size O.D. | Weight Per Inch | Weight Per Foot | Size O.D. | Weight Per Inch | Weight Per Foot | Size O.D. | Weight Per Inch | Weight Per Foot |
|-----------|-----------------|-----------------|-----------|-----------------|-----------------|-----------|-----------------|-----------------|
| 1.000 | 0.243 | 2.917 | 2.500 | 1.424 | 17.083 | 4.000 | 3.646 | 43.750 |
| 1.500 | 0.535 | 6.417 | 3.000 | 2.035 | 24.417 | | | |
| 2.000 | 0.924 | 11.083 | 3.500 | 2.806 | 33.667 | | | |

AMS 4880-C95510 Tubes

✓ STANDARD-STOCKED PRODUCT

| Nominal Size O.D. | x | I.D. | Weight Per Inch | Weight Per Foot | Nominal Size O.D. | x | I.D. | Weight Per Inch | Weight Per Foot | Nominal Size O.D. | x | I.D. | Weight Per Inch | Weight Per Foot |
|-------------------|---|-------|-----------------|-----------------|-------------------|---|-------|-----------------|-----------------|-------------------|---|--------|-----------------|-----------------|
| 2.000 | x | 1.000 | 0.739 | 8.868 | 3.500 | x | 1.500 | 2.476 | 29.712 | 5.750 | x | 4.250 | 3.979 | 47.748 |
| | | | | | | | 2.500 | 1.639 | 19.668 | | | | | |
| 2.250 | x | 1.250 | 0.867 | 10.404 | 3.750 | x | 2.000 | 2.437 | 29.244 | 6.000 | x | 3.000 | 6.469 | 77.628 |
| | | 1.500 | 0.707 | 8.484 | | | 2.500 | 1.943 | 23.316 | | | 3.750 | 5.556 | 66.672 |
| 2.500 | x | 1.000 | 1.242 | 14.904 | | | 2.750 | 1.764 | 21.168 | | | 4.500 | 4.433 | 53.196 |
| | | 1.500 | 1.002 | 12.024 | | | | | | | | 5.375 | 2.397 | 28.764 |
| | | 1.750 | 0.821 | 9.852 | 4.000 | x | 2.000 | 2.860 | 34.320 | 6.500 | x | 4.000 | 6.608 | 79.296 |
| 2.750 | x | 1.500 | 1.254 | 15.048 | | | 2.500 | 2.505 | 30.060 | | | 5.000 | 4.704 | 56.448 |
| | | 1.750 | 1.008 | 12.096 | | | | | | | | | | |
| 2.875 | x | 1.875 | 1.149 | 13.788 | 4.125 | x | 3.125 | 1.923 | 23.076 | 7.000 | x | 4.000 | 8.000 | 96.000 |
| 3.000 | x | 1.500 | 1.515 | 18.180 | 4.250 | x | 3.000 | 2.311 | 27.732 | 8.000 | x | 6.000 | 7.347 | 88.164 |
| | | 2.000 | 1.210 | 14.520 | | | | | | | | | | |
| 3.125 | x | 2.125 | 1.378 | 16.536 | 4.500 | x | 2.500 | 3.327 | 39.924 | 8.500 | x | 6.000 | 8.866 | 106.392 |
| 3.250 | x | 2.000 | 1.657 | 19.884 | | | 3.000 | 2.792 | 33.504 | | | 6.500 | 7.568 | 90.816 |
| | | 2.250 | 1.512 | 18.144 | | | | | | | | | | |
| | | | | | 5.000 | x | 3.000 | 4.207 | 50.484 | 11.000 | x | 9.000 | 9.867 | 118.404 |
| | | | | | | | 3.750 | 3.012 | 36.144 | | | | | |
| | | | | | 5.500 | x | 3.500 | 4.396 | 52.752 | 12.000 | x | 10.250 | 9.794 | 117.528 |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | 13.000 | x | 10.000 | 16.564 | 198.768 |

Continuous-Cast Alloy Stocked Size Schedules (continued)

C95900

GreenAlloy™

ASTM B505 Rectangles and Squares

✓ STANDARD-STOCKED PRODUCT

| Nominal Size | | Weight Per Inch | Weight Per Foot |
|--------------|---------|--------------------|--------------------|
| Thickness | x Width | | |
| 1/4 | x 1 | 0.160 | 1.917 |
| | 2 | 0.285 | 3.417 |
| | 3 | 0.313 | 3.750 |
| | 4 | 0.542 | 6.500 |
| | 5 | 0.667 | 8.000 |
| | 6 | 0.799 | 9.583 |
| | 7 | 0.924 | 11.083 |
| | 8 | 1.049 | 12.583 |
| | 9 | 1.181 | 14.167 |
| | 10 | 1.306 | 15.667 |
| | 12 | 1.563 | 18.750 |
| | 3/8 | x 1 | 0.201 |
| 2 | | 0.361 | 4.333 |
| 3 | | 0.424 | 5.083 |
| 4 | | 0.681 | 8.167 |
| 5 | | 0.833 | 10.000 |
| 6 | | 0.993 | 11.917 |
| 7 | | 1.153 | 13.833 |
| 8 | | 1.313 | 15.750 |
| 9 | | 1.472 | 17.667 |
| 10 | | 1.632 | 19.583 |
| 12 | | 1.958 | 23.500 |

| Nominal Size | | Weight Per Inch | Weight Per Foot |
|--------------|---------|--------------------|--------------------|
| Thickness | x Width | | |
| 1/2 | x 1 | 0.236 | 2.833 |
| | 2 | 0.431 | 5.167 |
| | 3 | 0.521 | 6.250 |
| | 4 | 0.813 | 9.750 |
| | 5 | 1.007 | 12.083 |
| | 6 | 1.194 | 14.333 |
| | 7 | 1.389 | 16.667 |
| | 8 | 1.576 | 18.917 |
| | 9 | 1.771 | 21.250 |
| | 10 | 1.958 | 23.500 |
| | 12 | 2.319 | 27.833 |
| | 5/8 | x 1 1/2 | 0.326 |
| 3/4 | x 1 | 0.319 | 3.833 |
| | 2 | 0.576 | 6.917 |
| | 3 | 0.729 | 8.750 |
| | 4 | 1.083 | 13.000 |
| | 5 | 1.340 | 16.083 |
| | 6 | 1.597 | 19.167 |
| | 7 | 1.847 | 22.167 |
| | 8 | 2.104 | 25.250 |
| | 9 | 2.361 | 28.333 |
| | 10 | 2.611 | 31.333 |
| | 12 | 3.118 | 37.417 |

| Nominal Size | | Weight Per Inch | Weight Per Foot |
|--------------|---------|--------------------|--------------------|
| Thickness | x Width | | |
| 1 | x 1 | 0.396 | 4.750 |
| | 2 | 0.715 | 8.583 |
| | 2 1/2 | 0.785 | 9.417 |
| | 3 | 0.931 | 11.167 |
| | 4 | 1.229 | 14.750 |
| | 5 | 1.514 | 18.167 |
| | 6 | 1.813 | 21.750 |
| | 7 | 2.313 | 27.750 |
| | 8 | 2.632 | 31.583 |
| | 9 | 2.951 | 35.417 |
| | 10 | 3.264 | 39.167 |
| | 12 | 3.951 | 47.417 |
| 1 1/2 | x 4 | 1.792 | 21.500 |
| 1 3/4 | x 2 1/2 | 1.257 | 15.083 |
| 2 | x 5 | 2.771 | 33.250 |
| | 2 1/2 | x 4 | 2.868 |
| | | 7 | 4.757 |

ASTM B505 Rectangles and Squares (Metric Sizes)

| Nominal Size | | Weight Per Inch | Weight Per Foot |
|--------------|---------|--------------------|--------------------|
| Thickness | x Width | | |
| 20 mm | x 50 mm | 0.486 | 5.833 |
| 20 mm | x 80 mm | 0.764 | 9.167 |

| Nominal Size | | Weight Per Inch | Weight Per Foot |
|--------------|----------|--------------------|--------------------|
| Thickness | x Width | | |
| 20 mm | x 100 mm | 0.944 | 11.333 |
| 20 mm | x 125 mm | 1.174 | 14.083 |

| Nominal Size | | Weight Per Inch | Weight Per Foot |
|--------------|----------|--------------------|--------------------|
| Thickness | x Width | | |
| 20 mm | x 160 mm | 1.507 | 18.083 |

ASTM B505 Solids

| Size O.D. | Weight Per Inch | Weight Per Foot |
|--------------|--------------------|--------------------|
| 1 | 0.236 | 2.833 |
| 1 1/4 | 0.354 | 4.250 |
| 1 1/2 | 0.507 | 6.083 |
| 1 3/4 | 0.701 | 8.417 |

| Size O.D. | Weight Per Inch | Weight Per Foot |
|--------------|--------------------|--------------------|
| 2 | 0.875 | 10.500 |
| 2 1/4 | 1.104 | 13.250 |
| 2 1/2 | 1.347 | 16.167 |
| 3 | 1.938 | 23.250 |

| Size O.D. | Weight Per Inch | Weight Per Foot |
|--------------|--------------------|--------------------|
| 3 1/2 | 2.694 | 32.333 |
| 4 | 3.431 | 41.167 |
| 4 1/2 | 4.549 | 54.583 |
| 5 | 5.368 | 64.417 |

Continuous-Cast Alloy Stocked Size Schedules (continued)

CONCAST380

Solids

✓ **STANDARD-STOCKED PRODUCT**

| Size O.D. | Weight Per Inch | Weight Per Foot |
|-----------|-----------------|-----------------|
| 1 | 0.229 | 2.750 |
| 1 1/2 | 0.500 | 6.000 |
| 2 | 0.861 | 10.333 |

| Size O.D. | Weight Per Inch | Weight Per Foot |
|-----------|-----------------|-----------------|
| 2 1/2 | 1.326 | 15.917 |
| 3 | 1.896 | 22.750 |
| 3 1/2 | 2.611 | 31.333 |

| Size O.D. | Weight Per Inch | Weight Per Foot |
|-----------|-----------------|-----------------|
| 4 | 3.382 | 40.583 |
| 4 1/2 | 4.257 | 51.083 |
| 5 | 5.306 | 63.667 |

Rectangles

| Nominal Size Thickness | x | Width | Weight Per Inch | Weight Per Foot |
|------------------------|---|-------|-----------------|-----------------|
| 2 | x | 10 | 5.493 | 65.917 |

| Nominal Size Thickness | x | Width | Weight Per Inch | Weight Per Foot |
|------------------------|---|-------|-----------------|-----------------|
| 3 | x | 10 | 8.076 | 96.917 |