

C93200

Continuous Cast

ASTM B505 Tubes

Nominal Size I.D.	x	O.D.	Weight Per Inch	Weight Per Foot
1/2	x	1	0.224	2.692
		1 1/8	0.291	3.589
		1 1/4	0.383	4.598
		1 3/8	0.458	5.495
		1 1/2	0.561	6.729
		1 3/4	0.766	9.196
		2	1.019	12.224
5/8	x	1	0.187	2.243
		1 1/8	0.262	3.140
		1 1/4	0.346	4.150
		1 3/8	0.439	5.271
		1 1/2	0.533	6.393
		1 3/4	0.738	8.860
		2	0.981	11.776
3/4	x	1	0.140	1.682
		1 1/8	0.215	2.579
		1 1/4	0.308	3.701
		1 3/8	0.393	4.710
		1 1/2	0.495	5.944
		1 5/8	0.579	6.953
		1 3/4	0.701	8.411
		2	0.944	11.327
		2 1/4	1.215	14.579
		2 1/2	1.523	18.280
7/8	x	1 1/8	0.168	2.019
		1 1/4	0.262	3.140
		1 3/8	0.336	4.037
		1 1/2	0.449	5.383
		1 5/8	0.551	6.617
		1 3/4	0.645	7.738
		1 7/8	0.776	9.308
		2	0.897	10.766
		2 1/4	1.168	14.019
1	x	1 1/4	0.187	2.243
		1 3/8	0.290	3.477
		1 1/2	0.393	4.710
		1 5/8	0.495	5.944
		1 3/4	0.607	7.290
		1 7/8	0.720	8.636
		2	0.850	10.206
		2 1/4	1.112	13.346
		2 3/8	1.262	15.140
		2 1/2	1.421	17.047
		2 3/4	1.757	21.084
		3	2.131	25.570
		3 1/4	2.523	30.280
		3 1/2	2.963	35.551
		4	4.000	48.000

Nominal Size I.D.	x	O.D.	Weight Per Inch	Weight Per Foot
1 1/8	x	1 3/8	0.206	2.467
		1 1/2	0.308	3.701
		1 5/8	0.411	4.935
		1 3/4	0.533	6.393
		2	0.785	9.421
		2 1/8	0.907	10.879
		2 1/4	1.056	12.673
		2 1/2	1.336	16.037
1 1/4	x	1 1/2	0.234	2.804
		1 5/8	0.336	4.037
		1 3/4	0.467	5.607
		1 7/8	0.589	7.065
		2	0.710	8.523
		2 1/8	0.841	10.093
		2 1/4	0.981	11.776
		2 1/2	1.290	15.477
		2 3/4	1.626	19.514
		3	2.000	24.000
		3 1/4	2.411	28.935
		3 1/2	2.832	33.981
		4	3.869	46.430
1 3/8	x	1 5/8	0.271	3.252
		1 3/4	0.364	4.374
		1 7/8	0.486	5.832
		2	0.636	7.626
		2 1/8	0.766	9.196
		2 1/4	0.907	10.879
		2 3/8	1.065	12.785
		2 1/2	1.206	14.467
		2 5/8	1.383	16.598
		3	1.879	22.542
1 1/2	x	1 3/4	0.280	3.364
		1 7/8	0.393	4.710
		2	0.551	6.617
		2 1/8	0.673	8.075
		2 1/4	0.822	9.869
		2 3/8	0.981	11.776
		2 1/2	1.131	13.570
		2 3/4	1.458	17.495
		3	1.841	22.093
		3 1/4	2.252	27.028
		3 1/2	2.664	31.963
		3 3/4	3.150	37.794
		4	3.710	44.523
		4 1/2	4.776	57.308
1 5/8	x	2	0.430	5.159
		2 1/8	0.579	6.953
		2 1/4	0.729	8.748
		2 3/8	0.879	10.542
		2 1/2	1.028	12.336
		2 5/8	1.196	14.355
		2 3/4	1.355	16.262
		3	1.748	20.972

Nominal Size I.D.	x	O.D.	Weight Per Inch	Weight Per Foot
1 3/4	x	2	0.327	3.925
		2 1/8	0.477	5.720
		2 1/4	0.626	7.514
		2 3/8	0.776	9.308
		2 1/2	0.935	11.215
		2 5/8	1.084	13.009
		2 3/4	1.262	15.140
		3	1.645	19.738
		3 1/4	2.056	24.673
		3 1/2	2.486	29.832
		3 3/4	2.879	34.542
		4	3.533	42.393
		4 1/4	4.019	48.224
1 7/8	x	2 1/4	0.514	6.168
		2 3/8	0.673	8.075
		2 1/2	0.822	9.869
		2 5/8	0.972	11.664
		2 3/4	1.159	13.907
		3	1.495	17.944
2	x	2 1/4	0.355	4.262
		2 3/8	0.551	6.617
		2 1/2	0.710	8.523
		2 5/8	0.869	10.430
		2 3/4	1.037	12.449
		2 7/8	1.215	14.579
		3	1.430	17.159
		3 1/4	1.832	21.981
		3 1/2	2.252	27.028
		3 3/4	2.738	32.860
		4	3.308	39.701
		4 1/2	4.364	52.374
		5	5.533	66.393
		5 1/2	7.009	84.112
		6	8.467	101.607
2 1/8	x	2 5/8	0.738	8.860
		2 3/4	0.879	10.542
		2 7/8	1.093	13.121
		3	1.299	15.589
		3 1/2	2.121	25.458
2 1/4	x	2 3/4	0.785	9.421
		2 7/8	0.953	11.439
		3	1.150	13.794
		3 1/8	1.327	15.925
		3 1/4	1.570	18.841
		3 1/2	2.000	24.000
		3 3/4	2.467	29.607
		4	3.056	36.673
		4 1/4	3.533	42.393



C93200

Continuous Cast

ASTM B505 Tubes

Nominal Size I.D.	x	O.D.	Weight Per Inch	Weight Per Foot
2 3/8	x	2 3/4	0.589	7.065
		2 7/8	0.813	9.757
		3	1.009	12.112
		3 1/4	1.355	16.262
		3 1/2	1.785	21.421
		4	2.841	34.093
2 1/2	x	2 3/4	0.439	5.271
		3	0.869	10.430
		3 1/8	1.065	12.785
		3 1/4	1.280	15.364
		3 1/2	1.720	20.636
		3 3/4	2.187	26.243
		4	2.776	33.308
		4 1/4	3.318	39.813
		4 1/2	3.804	45.645
		4 3/4	4.355	52.262
		5	5.019	60.224
		5 1/2	6.467	77.607
		6	7.953	95.439
2 5/8	x	3 1/2	1.542	18.505
2 3/4	x	3 1/4	0.944	11.327
		3 1/2	1.364	16.374
		3 3/4	1.850	22.206
		4	2.449	29.383
		4 1/4	3.000	36.000
		4 1/2	3.495	41.944
		4 3/4	4.056	48.673
		5 3/4	6.981	83.776
2 7/8	x	4	2.299	27.589
3	x	3 1/2	0.963	11.551
		3 3/4	1.495	17.944
		4	2.112	25.346
		4 1/4	2.664	31.963
		4 1/2	3.140	38.000
		4 3/4	3.738	44.860
		5	4.346	52.150
		5 1/2	5.869	70.430
		6	7.280	87.364
		6 1/2	8.888	106.654
		7	10.607	127.290
		8	14.402	172.822
3 1/4	x	3 3/4	1.037	12.449
		4	1.710	20.523
		4 1/4	2.271	27.252
		4 1/2	2.720	32.636
		4 3/4	3.318	39.813
		5	3.925	47.103
		5 1/2	5.439	65.271

Nominal Size I.D.	x	O.D.	Weight Per Inch	Weight Per Foot
3 1/2	x	4	1.234	14.804
		4 1/4	1.804	21.645
		4 1/2	2.346	28.150
		4 3/4	2.897	34.766
		5	3.523	42.280
		5 1/4	4.336	52.037
		5 1/2	5.065	60.785
		6	6.495	77.944
		6 1/2	8.093	97.121
3 3/4	x	4 1/2	1.916	22.991
		4 3/4	2.449	29.383
		5	3.065	36.785
		5 1/2	4.636	55.626
		6	6.056	72.673
4	x	4 1/2	1.393	16.710
		4 3/4	1.972	23.664
		5	2.598	31.178
		5 1/4	3.430	41.159
		5 1/2	4.121	49.458
		6	5.589	67.065
		6 1/2	7.178	86.131
		7	8.907	106.879
		7 1/2	10.748	128.972
		8	12.710	152.523
		9	17.000	204.000
4 1/4	x	4 3/4	1.467	17.607
		5	2.084	25.009
		5 1/4	2.935	35.215
		5 1/2	3.617	43.402
		6	5.093	61.121
		6 1/2	6.673	80.075
4 1/2	x	5	1.650	19.800
		5 1/4	2.346	28.150
		5 1/2	3.103	37.234
		6	4.551	54.617
		6 1/2	6.159	73.907
		7	7.860	94.318
4 3/4	x	5 1/4	1.822	21.869
		5 1/2	2.523	30.280
		5 3/4	3.234	38.804
		6	3.972	47.664
		6 1/2	5.579	66.953
5	x	5 1/2	1.925	23.103
		5 3/4	2.636	31.626
		6	3.393	40.710
		6 1/2	5.000	60.000
		7	6.710	80.523
		7 1/2	8.561	102.729
		8	10.505	126.056
		9	14.813	177.757
		10	20.056	240.673
		11	26.067	312.800

Nominal Size I.D.	x	O.D.	Weight Per Inch	Weight Per Foot
5 1/4	x	7	6.084	73.009
5 1/2	x	6	2.103	25.234
		6 1/2	3.692	44.299
		7	5.421	65.047
		7 1/2	7.262	87.140
		8	9.224	110.692
5 3/4	x	6 3/4	3.832	45.981
		7 1/4	5.636	67.626
		7 1/2	6.561	78.729
		8 1/2	10.654	127.850
6	x	6 1/2	2.252	27.028
		6 3/4	3.121	37.458
		7	3.991	47.888
		7 1/4	4.907	58.879
		7 1/2	5.832	69.981
		8	7.804	93.645
		8 1/2	9.916	118.991
		9	12.112	145.346
		10	17.103	205.234
		11	22.421	269.047
		12	28.271	339.252
6 1/2	x	7 1/4	3.374	40.486
		7 1/2	4.299	51.589
		8	6.262	75.140
		8 1/2	8.374	100.486
		9	10.589	127.065
		9 1/2	13.093	157.121
7	x	7 3/4	3.589	43.065
		8	4.598	55.178
		8 1/2	6.692	80.299
		9	8.916	106.991
		9 1/2	11.421	137.047
		10	13.897	166.766
		11	19.271	231.252
		12	25.168	302.019
7 1/2	x	8 1/2	4.916	58.991
		9	7.112	85.346
		9 1/2	9.617	115.402
		10	12.019	144.224
		10 1/2	14.757	177.084
8	x	9	5.308	63.701
		9 1/4	6.505	78.056
		9 1/2	7.729	92.748
		10	10.196	122.355
		10 1/2	12.841	154.093
		11	15.561	186.729
		12	21.421	257.047
		13	28.383	340.598



C93200

Continuous Cast

ASTM B505 Tubes

Nominal Size			Weight Per Inch	Weight Per Foot
I.D.	x	O.D.		
8 1/2	x	9 1/2	5.869	70.430
		10	8.159	97.907
		10 1/2	10.738	128.860
		11 1/2	16.748	200.972
9	x	10	6.159	73.907
		10 1/4	8.589	103.065
		10 1/2	8.673	104.075
		11	11.327	135.925
		11 1/2	14.224	170.692
		12	17.290	207.477
		14	31.952	383.429
9 1/2	x	10 1/2	6.477	77.720
		11	9.075	108.897
		11 1/2	11.850	142.206
		12 1/2	18.355	220.262

Nominal Size			Weight Per Inch	Weight Per Foot
I.D.	x	O.D.		
10	x	11	6.794	81.533
		11 1/2	9.533	114.393
		12	12.551	150.617
		13	19.159	229.907
		14	26.019	312.224
		16	42.848	514.171
10 1/2	x	11 1/2	7.065	84.785
		12	9.925	119.103
		12 1/2	13.364	160.374
		13	16.701	200.411
		14	20.841	250.093
11	x	12	7.486	89.832
		12 1/2	10.879	130.542
		13	13.953	167.439
		14	20.841	250.093

Nominal Size			Weight Per Inch	Weight Per Foot
I.D.	x	O.D.		
11 1/2	x	13	11.140	133.682
		13 1/2	14.542	174.505
		14 1/2	21.570	258.841
12	x	13 1/2	11.813	141.757
		14	15.131	181.570
		15	22.477	269.720
		16	31.686	380.229
12 1/2	x	14	12.320	147.840
		15 1/2	16.907	202.879
13 1/2	x	15 1/2	16.907	202.879
		16	17.692	212.299

ASTM B505 Solids

Size O.D.	Weight Per Inch	Weight Per Foot
3/8	0.043	0.516
1/2	0.075	0.897
5/8	0.112	1.346
3/4	0.159	1.907
7/8	0.215	2.579
1	0.271	3.252
1 1/8	0.346	4.150
1 1/4	0.421	5.047
1 3/8	0.579	6.953
1 1/2	0.607	7.290
1 5/8	0.701	8.411
1 3/4	0.813	9.757
1 7/8	0.925	11.103
2	1.056	12.673

Size O.D.	Weight Per Inch	Weight Per Foot
2 1/8	1.187	14.243
2 1/4	1.327	15.925
2 3/8	1.477	17.720
2 1/2	1.636	19.626
2 5/8	1.794	21.533
2 3/4	1.972	23.664
2 7/8	2.150	25.794
3	2.346	28.150
3 1/4	2.738	32.860
3 1/2	3.168	38.019
3 3/4	3.636	43.626
4	4.178	50.131
4 1/4	4.710	56.523
4 1/2	5.271	63.252

Size O.D.	Weight Per Inch	Weight Per Foot
4 3/4	5.841	70.093
5	6.439	77.271
5 1/4	7.206	86.467
5 1/2	7.916	94.991
6	9.336	112.037
6 1/2	10.907	130.879
7	12.636	151.626
7 1/2	14.486	173.832
8	16.411	196.935
9	20.673	248.075
10	25.607	307.290
11	30.822	369.869
12	35.701	428.411
13	43.215	518.579

C93200

Continuous Cast

ASTM B505 Rectangles and Squares

Nominal Size		Weight	Weight	
Thickness	x Width	Per Inch	Per Foot	
1/4	x 4	0.466	5.589	
	8	0.986	11.836	
	12	1.445	17.342	
3/8	x 4	0.630	7.562	
	8	1.308	15.669	
	12	1.932	23.178	
1/2	x 1	0.226	2.712	
	2	0.432	5.178	
	3	0.637	7.644	
	4	0.788	9.452	
	5	1.048	12.575	
	6	1.274	15.288	
	7	1.452	17.425	
	8	1.623	19.479	
	9	1.863	22.356	
	10	2.048	24.575	
	12	2.507	30.082	
	14	2.856	34.274	
	15	2.993	35.918	
	5/8	x 1	0.281	3.370
		2	0.521	6.247
3		0.767	9.205	
4		0.966	11.589	
5		1.260	15.123	
6		1.507	18.082	
7		1.753	21.041	
8		1.932	23.178	
9		2.247	26.959	
10		2.493	29.918	
12		2.986	35.836	
14		3.479	41.753	
15		3.603	43.233	

Nominal Size		Weight	Weight
Thickness	x Width	Per Inch	Per Foot
3/4	x 1	0.322	3.863
	2	0.610	7.315
	3	0.897	10.767
	4	1.123	13.479
	5	1.466	17.589
	6	1.726	20.712
	7	2.034	24.411
	8	2.281	27.370
	9	2.610	31.315
	10	2.849	34.192
1	x 1	0.418	5.014
	2	0.712	8.548
	3	1.048	12.575
	4	1.466	17.589
	5	1.884	22.603
	6	2.253	27.041
	7	2.616	31.397
	8	2.932	35.178
	9	3.349	40.192
	10	3.658	43.890
1 1/4	x 1	0.507	6.082
	2	0.959	11.507
	3	1.411	16.932
	4	1.788	21.452
	5	2.315	27.781
	6	2.767	33.205
	7	3.219	38.630
	8	3.596	43.151
	9	4.123	49.479
	10	4.575	54.904
	11	5.027	60.329
	12	5.390	64.685
	13	5.925	71.096
	14	6.377	76.521
	15	6.671	80.055

Nominal Size		Weight	Weight
Thickness	x Width	Per Inch	Per Foot
1 1/2	x 2	1.021	12.247
	3	1.514	18.164
	4	2.123	25.479
	5	2.575	30.904
	6	3.158	37.890
	7	3.671	44.055
	8	4.240	50.877
	9	4.705	56.466
	10	5.219	62.630
	11	5.740	68.877
	12	6.411	76.932
	1 3/4	x 4	2.445
8		4.918	59.014
12		7.253	87.041
2	x 4	2.781	33.370
	8	5.562	66.740
	11	7.562	90.740
	12	8.322	99.863
3	x 11	11.096	133.151
4	x 4	5.384	64.603
	11	14.651	175.808
6	x 10	19.836	238.027
6 1/4	x 6 1/4	13.062	156.740
8	x 8	21.137	253.644

